

**EXAM
DRILL**

Triangles

SOLUTIONS

1. (a) : We have $\triangle ABC \sim \triangle DEF$

$$\therefore \angle A = \angle D, \angle B = \angle E, \angle C = \angle F$$

$$\text{Given, } \angle A = 47^\circ, \angle E = 83^\circ$$

$$\therefore \angle B = 83^\circ$$

$$\text{Now, in } \triangle ABC, \angle A + \angle B + \angle C = 180^\circ$$

$$\Rightarrow \angle C = 180^\circ - 47^\circ - 83^\circ = 50^\circ$$

2. (a) : We have, $\triangle ABC \sim \triangle XYZ$

$$\Rightarrow \frac{AB}{XY} = \frac{BC}{YZ} = \frac{AC}{XZ} \Rightarrow \frac{4}{x} = \frac{6}{7.2} = \frac{5}{6} \Rightarrow x = \frac{4 \times 7.2}{6}$$

$$\Rightarrow x = 4.8 \text{ cm}$$


3. (d) : In triangle CAB , if DE divides CA and CB in the same ratio, then $DE \parallel AB$.

$$\therefore \frac{CD}{DA} = \frac{CE}{EB} \Rightarrow \frac{x+3}{3x+19} = \frac{x}{3x+4}$$

$$\Rightarrow 3x^2 + 4x + 9x + 12 = 3x^2 + 19x$$

$$\Rightarrow 6x = 12 \Rightarrow x = 2$$

4. (b) : Given, in $\triangle DEF$ and $\triangle PQR$,
 $\angle D = \angle Q, \angle R = \angle E$



$$\therefore \triangle DEF \sim \triangle QRP \quad [\text{By AA similarity criterion}]$$


$$\Rightarrow \angle F = \angle P$$

[Corresponding angles of similar triangles]

$$\therefore \frac{DE}{QP} = \frac{ED}{RQ} = \frac{FE}{PR}$$

5. (b) : Given, $\triangle ABC \sim \triangle DFE$, then

$$\angle A = \angle D = 30^\circ, \angle C = \angle E = 50^\circ$$



$$\therefore \angle B = \angle F = 180^\circ - (30^\circ + 50^\circ) = 100^\circ$$

$$\text{Also, } AB = 5 \text{ cm, } AC = 8 \text{ cm and } DF = 7.5 \text{ cm}$$

$$\therefore \frac{AB}{DF} = \frac{AC}{DE} \Rightarrow \frac{5}{7.5} = \frac{8}{DE}$$

$$\therefore DE = \frac{8 \times 7.5}{5} = 12 \text{ cm}$$

$$\text{Hence, } DE = 12 \text{ cm, } \angle F = 100^\circ$$

6. (b) : In $\triangle ABC$, $DE \parallel BC$

[Given]

$$\therefore \frac{AD}{DB} = \frac{AE}{EC}$$

[By B.P.T.]

$$\Rightarrow \frac{x}{x+1} = \frac{x+3}{x+5}$$

$$\Rightarrow x(x+5) = (x+3)(x+1)$$

$$\Rightarrow x^2 + 5x = x^2 + 3x + x + 3 \Rightarrow x = 3$$

7. (a)

8. In triangle ABC , $DE \parallel BC$

$$\therefore \frac{AD}{DB} = \frac{AE}{EC}$$

[By B.P.T.]

$$\Rightarrow \frac{x}{x-2} = \frac{x+2}{x-1} \Rightarrow x^2 - x = x^2 - 4 \Rightarrow x = 4$$

9. We have, $\triangle ABE \cong \triangle ACD$

$$\therefore AB = AC \text{ and } AD = AE$$

[By C.P.C.T.] ... (i)

Now, in $\triangle ADE$ and $\triangle ABC$,

$$\angle A = \angle A$$

[Common]

$$\frac{AB}{AD} = \frac{AC}{AE}$$

[Using (i)]

$$\therefore \triangle ADE \sim \triangle ABC \quad [\text{By SAS similarity criterion}]$$

10. Let $\triangle ABC$ and $\triangle DEF$ be two similar triangles such that $AB = 9 \text{ cm}$.

$$\therefore \frac{AB}{DE} = \frac{BC}{EF} = \frac{AC}{DF} = \frac{\text{Perimeter of } \triangle ABC}{\text{Perimeter of } \triangle DEF}$$

[\therefore Ratio of corresponding sides of similar triangles is equal to the ratio of their perimeters]

$$\Rightarrow \frac{9}{DE} = \frac{36}{48} \Rightarrow DE = 12 \text{ cm}$$

11. Basic proportionality theorem : If a line is drawn parallel to one side of a triangle intersecting the other two sides, then it divides the two sides in the same ratio.

12. SAS similarity criterion : If one angle of a triangle is equal to one angle of the other triangle and the sides including these angles are proportional, then the two triangles are similar.

13. Two quadrilaterals are similar, if their corresponding angles are equal and corresponding sides must also be proportional.

14. In $\triangle ABD$ and $\triangle ASR$, $RS \parallel DB$

$$\therefore \angle ABD = \angle ASR$$

[Corresponding angles]

$$\angle A = \angle A$$

[Common]

$$\therefore \triangle ABD \sim \triangle ASR$$

[By AA similarity criterion]

$$\Rightarrow \frac{AB}{AS} = \frac{AD}{AR} = \frac{BD}{RS} \Rightarrow \frac{3+3}{3} = \frac{x}{y} \Rightarrow x = 2y$$

15. (i) (c) : Since, $\angle B = \angle D = 90^\circ$, $\angle AMB = \angle CMD$
 (\because Angle of incident = Angle of reflection)
 \therefore By AA similarity criterion, $\triangle ABM \sim \triangle CDM$

(ii) (a)

(iii) (c) : $\because \triangle ABM \sim \triangle CDM$

$$\therefore \frac{AB}{CD} = \frac{BM}{DM} \Rightarrow \frac{AB}{1.8} = \frac{2.5}{1.5}$$

$$\Rightarrow AB = \frac{2.5 \times 1.8}{1.5} = 3 \text{ m}$$

(iv) (b) : Since, $\triangle ABM \sim \triangle CDM$

$$\therefore \angle A = \angle C = 30^\circ$$

[\because Corresponding angles of similar triangles are also equal]

(v) (b) : Since, $\triangle ABM \sim \triangle CDM$

$$\therefore \frac{AB}{CD} = \frac{BM}{MD} \Rightarrow \frac{AB}{6} = \frac{24}{8} \Rightarrow AB = 18 \text{ cm}$$

16. (i) In $\triangle PAB$ and $\triangle PQR$,

$$\angle P = \angle P \text{ (Common)}$$

$$\angle A = \angle Q \text{ (Corresponding angles)}$$

By AA similarity criterion, $\triangle PAB \sim \triangle PQR$

$$\therefore \frac{AB}{QR} = \frac{PA}{PQ} \Rightarrow \frac{AB}{12} = \frac{6}{24} \Rightarrow AB = 3 \text{ m}$$

(ii) Similarly, $\triangle PCD$ and $\triangle PQR$ are similar.

$$\therefore \frac{PC}{PQ} = \frac{CD}{QR} \Rightarrow \frac{14}{24} = \frac{CD}{12} \Rightarrow CD = 7 \text{ m}$$

(iii) Area of whole empty land

$$= \frac{1}{2} \times \text{base} \times \text{height} = \frac{1}{2} \times 12 \times 15 = 90 \text{ m}^2$$

(iv) In $\triangle PCD$, $AB \parallel CD$

$$\therefore \frac{PA}{AC} = \frac{PB}{BD} \text{ (By Thales theorem)}$$

$$\Rightarrow \frac{6}{8} = \frac{PB}{BD} \Rightarrow \frac{PB}{BD} = \frac{3}{4}$$

(v) We know that, if two triangles are similar, then their corresponding angles are equal.

$$\therefore \angle D = \angle R, \angle E = \angle P \text{ and } \angle F = \angle Q$$

17. (i) (b) : If $\triangle AED$ and $\triangle BEC$, are similar by SAS similarity rule, then their corresponding proportional

$$\text{sides are } \frac{BE}{AE} = \frac{CE}{DE}$$

(ii) (a) : Since, $\triangle ADE$ and $\triangle BCE$ are similar.

$$\therefore \frac{\text{Perimeter of } \triangle ADE}{\text{Perimeter of } \triangle BCE} = \frac{AD}{BC}$$

$$\Rightarrow \frac{2}{3} = \frac{AD}{5} \Rightarrow AD = \frac{5 \times 2}{3} = \frac{10}{3} \text{ cm}$$

$$(iii) (b) : \frac{\text{Perimeter of } \triangle ADE}{\text{Perimeter of } \triangle BCE} = \frac{ED}{CE}$$

$$\Rightarrow \frac{2}{3} = \frac{ED}{4} \Rightarrow ED = \frac{4 \times 2}{3} = \frac{8}{3} \text{ cm}$$

$$(iv) (a) : CD = CE + ED = 4 + \frac{8}{3} = \frac{12 + 8}{3} = \frac{20}{3} \text{ cm}$$

$$(v) (d) : \frac{\text{Perimeter of } \triangle ADE}{\text{Perimeter of } \triangle BCE} = \frac{AE}{BE} \Rightarrow \frac{2}{3} BE = AE$$


$$\Rightarrow AE = \frac{2}{3} \sqrt{BC^2 - CE^2}$$

$$\text{Also, in } \triangle AED, AE = \sqrt{AD^2 - DE^2}$$

18. (i) Let $\triangle ABC$ is the triangle formed by both hotels and mountain top. $\triangle CDE$ is the triangle formed by both huts and mountain top.

Clearly, $DE \parallel AB$ and so

$\triangle ABC \sim \triangle DEC$ [By AA-similarity criterion]



Now, required ratio = Ratio of their corresponding sides

$$= \frac{BC}{EC} = \frac{10}{7} \text{ i.e., } 10 : 7.$$

(ii) Since, $DE \parallel AB$, therefore

$$\frac{CD}{AD} = \frac{CE}{EB} \Rightarrow \frac{10}{AD} = \frac{7}{3} \Rightarrow AD = \frac{10 \times 3}{7} = 4.29 \text{ miles}$$

(iii) Since, $\triangle ABC \sim \triangle DEC$

$$\therefore \frac{BC}{EC} = \frac{AB}{DE} \quad [\because \text{Corresponding sides of similar triangles are proportional}]$$

$$\Rightarrow \frac{10}{7} = \frac{AB}{8} \Rightarrow AB = \frac{80}{7} = 11.43 \text{ miles}$$

(iv) Given, $DC = 5 + BC$.

Clearly, $BC = 10 - 5 = 5 \text{ miles}$

$$\text{Now, } CE = \frac{7}{10} \times BC = \frac{7}{10} \times 5 = 3.5 \text{ miles}$$

(v) When corresponding angles of two triangles are equal, then they are known as equiangular triangle.

19. In $\triangle ACF$, $BP \parallel CF$

$$\therefore \frac{AB}{BC} = \frac{AP}{PF}$$

[By B.P.T.]

$$\Rightarrow \frac{2}{8-2} = \frac{AP}{PF} \Rightarrow \frac{AP}{PF} = \frac{1}{3}$$

...(i)

In $\triangle AEF$, $DP \parallel EF$

$$\therefore \frac{AD}{DE} = \frac{AP}{PF} \quad [\text{By B.P.T.}]$$

$$\Rightarrow \frac{AD}{DE} = \frac{1}{3} \quad [\text{Using (i)}]$$

20. In $\triangle DEW$, $AB \parallel EW$,

$$\therefore \frac{DA}{AE} = \frac{DB}{BW} \quad [\text{By B.P.T.}]$$

$$\Rightarrow \frac{DA}{DE - AD} = \frac{DB}{DW - DB}$$

$$\Rightarrow \frac{4}{12 - 4} = \frac{DB}{24 - DB}$$

[DA = 4 cm, DE = 12 cm, DW = 24 cm]

$$\Rightarrow \frac{4}{8} = \frac{DB}{24 - DB} \Rightarrow \frac{1}{2} = \frac{DB}{24 - DB}$$

$$\Rightarrow 24 - DB = 2DB \Rightarrow 24 = 3DB$$

$$\Rightarrow DB = 24/3 = 8 \text{ cm}$$

21. In $\triangle ABC$, we have

$$\angle B = \angle C \Rightarrow AC = AB$$

$$\Rightarrow AE + EC = AD + DB$$

$$\Rightarrow AE + CE = AD + CE \quad [\because BD = CE]$$

$$\Rightarrow AE = AD$$

Thus, we have

$$AD = AE \text{ and } BD = CE$$

$$\therefore \frac{AD}{BD} = \frac{AE}{CE}$$

$$\Rightarrow DE \parallel BC \quad [\text{By the converse of B.P.T.}]$$

22. Here, the corresponding two sides and the perimeters of two triangles are proportional, then third side of both triangles will also in proportion. Yes, the two triangles are similar.

23. In $\triangle ADE$ and $\triangle ABC$, $DE \parallel BC$

$$\Rightarrow \angle ADE = \angle ABC \text{ and } \angle AED = \angle ACB$$

[Corresponding angles]

$$\therefore \triangle ADE \sim \triangle ABC \quad [\text{By AA similarity criterion}]$$

$$\Rightarrow \frac{AB}{AD} = \frac{BC}{DE} \quad \dots(i)$$

Given, $\frac{AD}{DB} = \frac{2}{3} \Rightarrow \frac{DB}{AD} = \frac{3}{2}$

$$\Rightarrow \frac{DB}{AD} + 1 = \frac{3}{2} + 1 \Rightarrow \frac{DB + AD}{AD} = \frac{3 + 2}{2}$$

$$\Rightarrow \frac{AB}{AD} = \frac{5}{2} \quad \dots(ii)$$

From (i) and (ii), we get $\frac{BC}{DE} = \frac{5}{2}$

24. Since, $AB \parallel DC$

$$\therefore \angle OAB = \angle ODC \quad [\text{Alternate angles}]$$

$$\text{and } \angle APO = \angle OQC \quad [\text{Alternate angles}]$$

Now, in $\triangle OAP$ and $\triangle OQC$,

$$\angle OAP = \angle OQC \quad [\text{Proved above}]$$

$$\angle APO = \angle OQC \quad [\text{Proved above}]$$

$$\angle AOP = \angle QOC$$

$$\therefore \triangle OAP \sim \triangle OQC \quad [\text{Vertically opposite angles}]$$

$$\Rightarrow \frac{OA}{OC} = \frac{OP}{OQ} = \frac{AP}{CQ}$$

$$\Rightarrow OA \cdot CQ = OC \cdot AP$$

25. In $\triangle ABC$, $\angle A + \angle B + \angle C = 180^\circ$

$$\Rightarrow \angle A = 180^\circ - 30^\circ - 20^\circ = 130^\circ \quad [\text{By angle sum property}]$$

Also, $\frac{DE}{AC} = \frac{7}{63} = \frac{1}{9}$ and $\frac{EF}{AB} = \frac{5}{45} = \frac{1}{9}$

Now, in $\triangle ABC$ and $\triangle EFD$,

$$\angle A = \angle E = 130^\circ$$

$$\frac{DE}{AC} = \frac{EF}{AB}$$

$$\therefore \triangle ABC \sim \triangle EFD \quad [\text{By SAS similarity criterion}]$$

$$\Rightarrow \angle A = \angle E, \angle B = \angle F, \angle C = \angle D$$

$$\therefore \angle D = 20^\circ \text{ and } \angle F = 30^\circ.$$

26. Let $AB = x$

$$\Rightarrow BC = 2x \text{ and } CE = 4x$$

Now, in $\triangle ABC$ and $\triangle BCE$, $\frac{AB}{BC} = \frac{x}{2x} = \frac{1}{2}$

$$\frac{BC}{CE} = \frac{2x}{4x} = \frac{1}{2}$$

$$\therefore \frac{AB}{BC} = \frac{BC}{CE} = \frac{1}{2} \text{ and } \angle B = \angle C = 90^\circ$$

$$\therefore \triangle ABC \sim \triangle BCE$$

$$[\text{By SAS similarity criterion}]$$

$$\therefore \frac{AB}{BC} = \frac{BC}{CE} = \frac{AC}{BE}$$

$$\Rightarrow \frac{AC}{BE} = \frac{1}{2} \text{ or } AC : BE = 1 : 2$$

27. False

In $\triangle PQD$ and $\triangle RPD$,

$$PD = PD \quad [\text{common side}]$$

$$\angle PDQ = \angle PDR \quad [\text{each } 90^\circ]$$

Here, no other sides or angles are equal, so we can say that $\triangle PQD$ is not similar to $\triangle RPD$.

But if $\angle P = 90^\circ$, then $\angle DPQ = \angle PRD$

[Each equal to $90^\circ - \angle Q$ and by ASA similarity criterion, $\triangle PQD \sim \triangle RPD$]

28. Given, $AM : MC = 3 : 4$, $BP : PM = 3 : 2$ and $BN = 12$ cm

Draw MR parallel to CN which meets AB at the point R .







In $\triangle BMR$, $PN \parallel MR$

$$\therefore \frac{BN}{NR} = \frac{BP}{PM} \quad [\text{By B.P.T.}]$$

$$\Rightarrow \frac{12}{NR} = \frac{3}{2} \Rightarrow NR = \frac{12 \times 2}{3} = 8 \text{ cm}$$

In $\triangle ANC$, $RM \parallel NC$

$$\therefore \frac{AR}{RN} = \frac{AM}{MC} \quad [\text{By B.P.T.}]$$




$$\Rightarrow \frac{AR}{8} = \frac{3}{4} \Rightarrow AR = \frac{3 \times 8}{4} = 6 \text{ cm}$$

$$\therefore AN = AR + RN = 6 + 8 = 14 \text{ cm}$$

OR

Let AB be the lamp post and CD be the boy after walking 5 seconds. Let $DE = x$ m be the length of his shadow such that $BD = 1.5 \times 5 = 7.5$ m.

In $\triangle ABE$ and $\triangle CDE$,



$$\angle B = \angle D \quad [\text{Each equals } 90^\circ]$$

$$\angle E = \angle E \quad [\text{Common}]$$

$$\therefore \triangle ABE \sim \triangle CDE \quad [\text{By AA similarity criterion}]$$

$$\Rightarrow \frac{BE}{DE} = \frac{AB}{CD} \Rightarrow \frac{7.5 + x}{x} = \frac{3.8}{0.95}$$

$$[\because AB = 3.8 \text{ m, } CD = 95 \text{ cm} = 0.95 \text{ m and } BE = BD + DE = (7.5 + x) \text{ m}]$$

$$\Rightarrow 7.125 + 0.95x = 3.8x \Rightarrow 7.125 = 3.8x - 0.95x$$

$$\Rightarrow 7.125 = 2.85x \Rightarrow x = \frac{7.125}{2.85} \Rightarrow x = 2.5$$

Hence, the length of his shadow after 5 seconds is 2.5 m.

29. Since, $\triangle NSQ \cong \triangle MTR$

$$\therefore \angle SQN = \angle TRM$$

$$\Rightarrow \angle Q = \angle R$$

In $\triangle PQR$,

$$\angle P + \angle Q + \angle R = 180^\circ \quad [\text{By angle sum property}]$$

$$\Rightarrow \angle Q + \angle Q = 180^\circ - \angle P$$

$$\Rightarrow \angle Q = \frac{1}{2}(180^\circ - \angle P) \Rightarrow \angle Q = \angle R = 90^\circ - \frac{1}{2}\angle P \quad \dots(i)$$

Again, in $\triangle PST$, $\angle 1 = \angle 2$

$$\text{and } \angle P + \angle 1 + \angle 2 = 180^\circ \quad [\text{Given}]$$

$$\Rightarrow \angle 1 + \angle 1 = 180^\circ - \angle P \quad [\text{By angle sum property}]$$

$$\Rightarrow \angle 1 = \frac{1}{2}(180^\circ - \angle P)$$

$$\Rightarrow \angle 1 = \angle 2 = 90^\circ - \frac{1}{2}\angle P \quad \dots(ii)$$

Now, in $\triangle PTS$ and $\triangle PRQ$

$$\angle 1 = \angle Q \quad [\text{From (i) and (ii)}]$$

$$\angle P = \angle P \quad [\text{Common}]$$

$$\therefore \triangle PTS \sim \triangle PRQ \quad [\text{By AA similarity criterion}]$$

30. Given, in $\triangle ABC$, $AB = 4$ cm, and in $\triangle DEF$, $DE = 6$ cm. $EF = 9$ cm and $FD = 12$ cm

Also, $\triangle ABC \sim \triangle DEF$

$$\therefore \frac{AB}{DE} = \frac{BC}{EF} = \frac{AC}{DF}$$

$$\Rightarrow \frac{4}{6} = \frac{BC}{9} = \frac{AC}{12}$$

On taking first two terms, we get

$$\frac{4}{6} = \frac{BC}{9} \Rightarrow BC = \frac{4 \times 9}{6} = 6 \text{ cm}$$

On taking first and last terms, we get

$$\frac{4}{6} = \frac{AC}{12}$$

$$\Rightarrow AC = \frac{4 \times 12}{6} = 8 \text{ cm}$$

Now, perimeter of $\triangle ABC = AB + BC + AC$
 $= 4 + 6 + 8 = 18 \text{ cm}$

31. Since, $DEFG$ is a square.

$$\therefore \angle BDG = 90^\circ = \angle FEC$$

$$\text{Also, } DG = GF = FE = DE$$

In $\triangle BAC$ and $\triangle BDG$,

$$\angle ABC = \angle DBG$$

(Common)

$$\angle BAC = \angle BDG$$

(Each 90°)

$$\therefore \triangle BAC \sim \triangle BDG$$

(By AA similarity criterion)

$$\Rightarrow \frac{AB}{BD} = \frac{AC}{DG} \Rightarrow \frac{AB}{AC} = \frac{BD}{DG}$$

...(ii)

In $\triangle BAC$ and $\triangle FEC$,

$$\angle ACB = \angle ECF$$

(Common)

$$\angle BAC = \angle FEC$$

(Each 90°)

$$\therefore \triangle BAC \sim \triangle FEC$$

(By AA similarity criterion)

$$\Rightarrow \frac{AB}{FE} = \frac{AC}{EC} \Rightarrow \frac{AB}{AC} = \frac{FE}{EC}$$

...(iii)

From (ii) and (iii), we get

$$\frac{BD}{DG} = \frac{FE}{EC} \Rightarrow \frac{BD}{DE} = \frac{DE}{EC}$$

[Using (i)]

$$\Rightarrow DE^2 = BD \times EC$$

32. Given, $\triangle ABC$ in which D , E and F are the mid-points of sides BC , CA and AB respectively.

Since, F and E are mid-points of

AB and AC respectively.

$$\therefore FE \parallel BC$$

$$\Rightarrow \angle AFE = \angle B$$

[Corresponding angles]

Thus, in $\triangle AFE$ and $\triangle ABC$, we have

$$\angle AFE = \angle B \quad [\text{Proved above}]$$

$$\text{and } \angle A = \angle A$$

[Common]

$$\therefore \triangle AFE \sim \triangle ABC$$

[By AA similarity criterion]

Similarly, we have

$$\triangle FBD \sim \triangle ABC \text{ and } \triangle EDC \sim \triangle ABC.$$

Now, we shall prove that $\triangle DEF \sim \triangle ABC$.

Clearly, $ED \parallel AF$ and $DF \parallel EA$.

$$\therefore AFDE \text{ is a parallelogram.}$$

$$\Rightarrow \angle EDF = \angle A$$

[\because Opposite angles of a parallelogram are equal]

Similarly, $BDEF$ is a parallelogram.

$$\therefore \angle DEF = \angle B$$

Thus, in $\triangle DEF$ and $\triangle ABC$, we have

$$\angle EDF = \angle A \text{ and } \angle DEF = \angle B$$

$$\therefore \triangle DEF \sim \triangle ABC$$

[By AA similarity criterion]

Thus, each one of the triangles AFE , FBD , EDC and DEF is similar to $\triangle ABC$.

33. In $\triangle DFG$ and $\triangle DAB$,

$$AB \parallel FE \Rightarrow \angle 1 = \angle 2$$

[Corresponding angles]

$$\angle FDG = \angle ADB$$

[Common]

$$\therefore \triangle DFG \sim \triangle DAB$$

[By AA similarity criterion]

$$\Rightarrow \frac{DF}{DA} = \frac{FG}{AB}$$


...(i)

In trapezium $ABCD$, we have

$$EF \parallel AB \parallel DC$$

$$\therefore \frac{AF}{DF} = \frac{BE}{EC} \Rightarrow \frac{AF}{DF} = \frac{3}{4}$$

$$\left[\because \frac{BE}{EC} = \frac{3}{4} (\text{given}) \right]$$



$$\Rightarrow \frac{AF}{DF} + 1 = \frac{3}{4} + 1$$

$$\Rightarrow \frac{AF+DF}{DF} = \frac{3+4}{4}$$

$$\Rightarrow \frac{AD}{DF} = \frac{7}{4} \Rightarrow \frac{DF}{AD} = \frac{4}{7} \dots (ii)$$

From (i) and (ii), we get

$$\frac{FG}{AB} = \frac{4}{7} \Rightarrow FG = \frac{4}{7} AB \dots (iii)$$

In $\triangle BEG$ and $\triangle BCD$,

$EF \parallel CD \Rightarrow \angle BEG = \angle BCD$ [Corresponding angles]

$\angle B = \angle B$ [Common]

$\therefore \triangle BEG \sim \triangle BCD$ [By AA similarity criterion]

$$\Rightarrow \frac{BE}{BC} = \frac{EG}{CD} \Rightarrow \frac{3}{7} = \frac{EG}{CD}$$

$$\left[\because \frac{BE}{EC} = \frac{3}{4} \Rightarrow \frac{EC}{BE} = \frac{4}{3} \Rightarrow \frac{EC}{BE} + 1 = \frac{4}{3} + 1 \Rightarrow \frac{BC}{BE} = \frac{7}{3} \right]$$

$$\Rightarrow EG = \frac{3}{7} CD \Rightarrow EG = \frac{3}{7} \times 2AB \quad [\because CD = 2AB \text{ (Given)}]$$

$$\Rightarrow EG = \frac{6}{7} AB \dots (iv)$$

Adding (iii) and (iv), we get

$$FG + EG = \frac{4}{7} AB + \frac{6}{7} AB \Rightarrow FE = \frac{10}{7} AB$$

$$\Rightarrow 7FE = 10AB$$

34. (i) In $\triangle ABC$, we have $DE \parallel BC$

$\Rightarrow \angle ADE = \angle ABC$ and $\angle AED = \angle ACB$

[Corresponding angles]

$\therefore \triangle ADE \sim \triangle ABC$ [By AA similarity criterion]

$$\Rightarrow \frac{AD}{AB} = \frac{DE}{BC} \dots (i)$$

$$\text{Now, } \frac{AD}{DB} = \frac{5}{4} \Rightarrow \frac{DB}{AD} = \frac{4}{5} \Rightarrow \frac{DB}{AD} + 1 = \frac{4}{5} + 1$$

$$\Rightarrow \frac{DB+AD}{AD} = \frac{4+5}{5} \Rightarrow \frac{AB}{AD} = \frac{9}{5}$$

$$\Rightarrow \frac{AD}{AB} = \frac{5}{9}$$

$$\Rightarrow \frac{DE}{BC} = \frac{5}{9} \quad [\text{Using (i)}]$$

(ii) In $\triangle DEF$ and $\triangle CBF$, we have

$\angle DFE = \angle CFB$ [Vertically opposite angles]

$\angle DEF = \angle FBC$ [Alternate angles]

$\therefore \triangle DEF \sim \triangle CBF$ [By AA similarity criterion]


OR

Given : A triangle ABC in which $DE \parallel BC$ and DE intersects AB at D and AC at E .

To Prove : $\frac{AD}{DB} = \frac{AE}{EC}$

Construction : Join BE , CD and draw $EF \perp AB$, $DG \perp AC$.

Proof : In $\triangle EAD$ and $\triangle EDB$, EF is perpendicular to AB , therefore, EF is the height for both triangles EAD and EDB .



$$\text{Now, area of } \triangle EAD = \frac{1}{2} \times (\text{Base} \times \text{height}) = \frac{1}{2} \times AD \times EF$$

$$\text{Again, area of } \triangle EDB = \frac{1}{2} \times (\text{Base} \times \text{height}) = \frac{1}{2} \times DB \times EF$$

$$\therefore \frac{\text{ar}(\triangle EAD)}{\text{ar}(\triangle EDB)} = \frac{\frac{1}{2} \times AD \times EF}{\frac{1}{2} \times DB \times EF} = \frac{AD}{DB} \dots (i)$$

$$\text{Similarly, } \frac{\text{ar}(\triangle EAD)}{\text{ar}(\triangle ECD)} = \frac{\frac{1}{2} \times AE \times DG}{\frac{1}{2} \times EC \times DG} = \frac{AE}{EC} \dots (ii)$$

Since, triangles EDB and ECD are on the same base DE and between the same parallel lines DE and BC .

$$\therefore \text{ar}(\triangle EDB) = \text{ar}(\triangle ECD) \dots (iii)$$

$$\text{From (i), (ii) and (iii), we get } \frac{AD}{DB} = \frac{AE}{EC}$$

Now, we are given that $AB \parallel DE$ and $BC \parallel EF$.

In $\triangle OED$, $AB \parallel DE$

$$\therefore \frac{OA}{AD} = \frac{OB}{BE} \dots (i)$$

In $\triangle OEF$, $BC \parallel EF$

$$\therefore \frac{OB}{BE} = \frac{OC}{CF} \dots (ii)$$

$$\text{From (i) and (ii), we get } \frac{OA}{AD} = \frac{OC}{CF}$$

$$\therefore AC \parallel DF \quad (\text{By converse of above proved result})$$

35. In order to prove that the points B , C , E and D are concyclic, it is sufficient to show that

$\angle ABC + \angle CED = 180^\circ$ and $\angle ACB + \angle BDE = 180^\circ$.

In $\triangle ABC$, we have $AB = AC$ and $AD = AE$

$$\Rightarrow AB - AD = AC - AE \Rightarrow DB = EC$$

Thus, we have $AD = AE$ and $DB = EC$

$$\Rightarrow \frac{AD}{DB} = \frac{AE}{EC}$$

$$\Rightarrow DE \parallel BC \quad (\text{By converse of Thales theorem})$$

$$\Rightarrow \angle ABC = \angle ADE \quad (\text{Corresponding angles})$$

$$\Rightarrow \angle ABC + \angle BDE = \angle ADE + \angle BDE \quad (\text{Adding } \angle BDE \text{ on both sides})$$

$$\Rightarrow \angle ABC + \angle BDE = 180^\circ \quad (\text{Linear pair})$$

$$\Rightarrow \angle ACB + \angle BDE = 180^\circ$$

$$(\because AB = AC \therefore \angle ABC = \angle ACB)$$

Now, $\angle ACB = \angle AED$ (Corresponding angles as $DE \parallel BC$)

$$\Rightarrow \angle ACB + \angle CED = \angle AED + \angle CED$$

$$(\text{Adding } \angle CED \text{ on both sides})$$

$$\Rightarrow \angle ACB + \angle CED = 180^\circ \quad (\text{Linear pair})$$

$$\Rightarrow \angle ABC + \angle CED = 180^\circ \quad (\because \angle ABC = \angle ACB)$$

Thus, $BDEC$ is a quadrilateral such that

$$\angle ACB + \angle BDE = 180^\circ \text{ and } \angle ABC + \angle CED = 180^\circ$$

Therefore, $BDEC$ is a cyclic quadrilateral. Hence, B , C , E and D are concyclic points.

