

Surface Areas and Volumes

CHAPTER 13



SOLUTIONS

EXERCISE - 13.1


1. Let the edge of each cube = x

Given, volume of each cube

$$= 64 \text{ cm}^3$$

$$\therefore x^3 = 64 \text{ cm}^3$$

$$\Rightarrow x = 4 \text{ cm}$$



Now, length of the resulting cuboid (l) = $2x \text{ cm} = 8 \text{ cm}$

Breadth of the resulting cuboid (b) = $x \text{ cm} = 4 \text{ cm}$

Height of the resulting cuboid (h) = $x \text{ cm} = 4 \text{ cm}$

$$\therefore \text{Surface area of the cuboid} = 2(lb + bh + hl)$$

$$= 2[(8 \times 4) + (4 \times 4) + (4 \times 8)] \text{ cm}^2$$

$$= 2[32 + 16 + 32] \text{ cm}^2 = 2[80] \text{ cm}^2 = 160 \text{ cm}^2$$

2. For hemispherical part, radius (r) = $\frac{14}{2} = 7 \text{ cm}$

$$\therefore \text{Curved surface area of hemisphere} = 2\pi r^2$$

$$= 2 \times \frac{22}{7} \times 7 \times 7 \text{ cm}^2 = 308 \text{ cm}^2$$

Total height of vessel = 13 cm

$$\therefore \text{Height of cylinder}$$

$$= (13 - 7) \text{ cm} = 6 \text{ cm}$$


and radius (r) = 7 cm

$$\therefore \text{Curved surface area of cylinder}$$

$$= 2\pi rh$$

$$= 2 \times \frac{22}{7} \times 7 \times 6 \text{ cm}^2 = 264 \text{ cm}^2$$

$$\therefore \text{Inner surface area of vessel} = (308 + 264) \text{ cm}^2 = 572 \text{ cm}^2$$



3. Given radius of cone (r)

= radius of hemisphere (r)

= 3.5 cm , height of cone (h)

= $(15.5 - 3.5) \text{ cm} = 12 \text{ cm}$

$$\text{Also, slant height } (l) = \sqrt{h^2 + r^2}$$

$$= \sqrt{12^2 + (3.5)^2} = \sqrt{156.25}$$

$$= 12.5 \text{ cm}$$

Total surface area of the toy = curved surface area of conical part + curved surface area of hemispherical part

$$= \pi rl + 2\pi r^2 = \pi r(l + 2r) = \frac{22}{7} \times \frac{35}{10} (12.5 + 2 \times 3.5) \text{ cm}^2$$


$$= 11 \times (12.5 + 7) \text{ cm}^2 = 11 \times 19.5 \text{ cm}^2 = 214.5 \text{ cm}^2$$

4. Let side of the block, (a) = 7 cm

$\therefore$ The greatest diameter of the hemisphere = 7 cm

Radius of hemisphere, (r)

$$= 7/2 \text{ cm}$$



Surface area of the solid

= [Total surface area of the cubical block]

+ [Curved surface of the hemisphere]

- [Base area of the hemisphere]

$$= (6 \times a^2) + 2\pi r^2 - \pi r^2$$

$$= 6a^2 + \pi r^2 = (6 \times 7^2) + \left(\frac{22}{7} \times \frac{7}{2} \times \frac{7}{2}\right) = \left(294 + \frac{77}{2}\right) = 332.5 \text{ cm}^2$$

5. Given, side of the cube = diameter of the hemisphere = l

$$\Rightarrow \text{Radius of the hemisphere} = \frac{l}{2}$$

$$\therefore \text{Surface area of hemisphere} = 2\pi r^2$$

$$= 2 \times \pi \times \frac{l}{2} \times \frac{l}{2} = \frac{\pi l^2}{2} \text{ sq. units}$$


$$\text{Base area of the hemisphere} = \pi \left(\frac{l}{2}\right)^2 = \frac{\pi l^2}{4} \text{ sq. units}$$

Surface area of the cube = $6 \times l^2 = 6l^2 \text{ sq. units}$

$\therefore$ Surface area of the remaining solid


$$= 6l^2 + \frac{\pi l^2}{2} - \frac{\pi l^2}{4} = \frac{24l^2 + 2\pi l^2 - \pi l^2}{4} = \frac{24l^2 + \pi l^2}{4}$$

$$= \frac{l^2}{4} (24 + \pi) \text{ sq. units.}$$



6. Radius of the hemispherical part (r) = $\frac{5}{2} \text{ mm}$

$$= 2.5 \text{ mm}$$



Curved surface area of one hemispherical part = $2\pi r^2$

$\therefore$ Surface area of both hemispherical parts

$$= 2(2\pi r^2) = 4\pi r^2 = 4 \times \frac{22}{7} \times \left(\frac{25}{10}\right)^2 \text{ mm}^2$$

$$= 4 \times \frac{22}{7} \times \frac{25}{10} \times \frac{25}{10} \text{ mm}^2$$

Entire length of capsule = 14 mm

$\therefore$ Length of cylindrical part = $14 - 2 \times 2.5 = 9 \text{ mm}$

$\therefore$ Area of cylindrical part = $2\pi rh$

$$= 2 \times \frac{22}{7} \times 2.5 \times 9 \text{ mm}^2 = 2 \times \frac{22}{7} \times \frac{25}{10} \times 9 \text{ mm}^2$$

$\therefore$ Total surface area of capsule

$$= \left[2 \times \frac{22}{7} \times \frac{25}{10} \times 9\right] + \left[4 \times \frac{22}{7} \times \frac{25}{10} \times \frac{25}{10}\right] \text{ mm}^2$$

$$= \left(2 \times \frac{22}{7} \times \frac{25}{10} \right) \left[9 + \frac{50}{10} \right] \text{mm}^2 = \frac{44 \times 25}{70} \times 14 \text{mm}^2 = 220 \text{mm}^2$$

7. For cylindrical part :

$$\text{Radius } (r) = \frac{4}{2} \text{ m} = 2 \text{ m and}$$

$$\text{height } (h) = 2.1 \text{ m}$$

∴ Curved surface area

$$= 2\pi rh = 2 \times \frac{22}{7} \times 2 \times \frac{21}{10} \text{m}^2$$

For conical part :

$$\text{Slant height } (l) = 2.8 \text{ m and base radius } (r) = 2 \text{ m}$$

$$\therefore \text{Curved surface area} = \pi rl = \frac{22}{7} \times 2 \times \frac{28}{10} \text{m}^2$$

∴ Total surface area

$$= [\text{Curved surface area of the cylindrical part}] + [\text{Curved surface area of conical part}]$$

$$= \left[2 \times \frac{22}{7} \times 2 \times \frac{21}{10} \right] + \left[\frac{22}{7} \times 2 \times \frac{28}{10} \right] \text{m}^2$$

$$= 2 \times \frac{22}{7} \left[\frac{42}{10} + \frac{28}{10} \right] \text{m}^2 = 2 \times \frac{22}{7} \times \frac{70}{10} \text{m}^2 = 44 \text{m}^2$$

$$\therefore \text{Cost of } 1 \text{ m}^2 \text{ of canvas} = ₹ 500$$

$$\therefore \text{Cost of } 44 \text{ m}^2 \text{ of canvas} = ₹ (500 \times 44) = ₹ 22000.$$

8. For cylindrical part :

$$\text{Height } (h) = 2.4 \text{ cm and diameter} = 1.4 \text{ cm}$$

$$\Rightarrow \text{Radius } (r) = 0.7 \text{ cm}$$

∴ Total surface area of the cylindrical part

$$= 2\pi rh + 2\pi r^2 = 2\pi r [h + r]$$

$$= 2 \times \frac{22}{7} \times \frac{7}{10} [2.4 + 0.7]$$

$$= \frac{44}{10} \times 3.1 = \frac{44 \times 31}{100} = \frac{1364}{100} \text{cm}^2$$

For conical part :

$$\text{Base radius } (r) = 0.7 \text{ cm and height } (h) = 2.4 \text{ cm}$$

$$\therefore \text{Slant height } (l) = \sqrt{r^2 + h^2} = \sqrt{(0.7)^2 + (2.4)^2}$$

$$= \sqrt{0.49 + 5.76} = \sqrt{6.25} = 2.5 \text{ cm}$$

∴ Curved surface area of the conical part

$$= \pi rl = \frac{22}{7} \times 0.7 \times 2.5 \text{cm}^2 = \frac{550}{100} \text{cm}^2$$

Base area of the conical part



$$= \pi r^2 = \frac{22}{7} \times \left(\frac{7}{10} \right)^2 \text{cm}^2 = \frac{22 \times 7}{100} \text{cm}^2 = \frac{154}{100} \text{cm}^2$$

Total surface area of the remaining solid

$$= [(\text{Total surface area of cylindrical part}) + (\text{Curved surface area of conical part}) - (\text{Base area of the conical part})]$$

$$= \left[\frac{1364}{100} + \frac{550}{100} - \frac{154}{100} \right] \text{cm}^2 = \frac{1760}{100} \text{cm}^2 = 17.6 \text{cm}^2.$$

Hence, total surface area to the nearest cm^2 is 18cm^2 .



9. Radius of the cylinder (r) = 3.5 cm

Height of the cylinder (h) = 10 cm

∴ Curved surface area = $2\pi rh$

$$= 2 \times \frac{22}{7} \times \frac{35}{10} \times 10 \text{cm}^2 = 220 \text{cm}^2$$

Curved surface area of a hemisphere = $2\pi r^2$

∴ Curved surface area of both hemispheres

$$= 2 \times 2\pi r^2 = 4\pi r^2 = 4 \times \frac{22}{7} \times \frac{35}{10} \times \frac{35}{10} \text{cm}^2 = 154 \text{cm}^2$$

Total surface area of the remaining solid

$$= (220 + 154) \text{cm}^2 = 374 \text{cm}^2$$

EXERCISE - 13.2

1. Here, $r = 1 \text{ cm}$ and $h = 1 \text{ cm}$.

$$\text{Volume of the conical part} = \frac{1}{3} \pi r^2 h$$

and volume of the hemispherical

$$\text{part} = \frac{2}{3} \pi r^3$$

∴ Volume of the solid shape

$$= \frac{1}{3} \pi r^2 h + \frac{2}{3} \pi r^3 = \frac{1}{3} \pi r^2 [h + 2r]$$

$$= \frac{1}{3} \pi (1)^2 [1 + 2(1)] \text{cm}^3 = \frac{1}{3} \pi \times 1 \times 3 \text{cm}^3 = \pi \text{cm}^3$$

2. Here, diameter = 3 cm

$$\Rightarrow \text{Radius } (r) = \frac{3}{2} \text{ cm}$$

Total height = 12 cm

Height of a cone (h) = 2 cm

∴ Height of both cones = $2 \times 2 = 4 \text{ cm}$

$\Rightarrow$ Height of the cylinder (h_1) = $(12 - 4) \text{ cm} = 8 \text{ cm}$

Now, volume of the cylindrical part = $\pi r^2 h$

$$\text{Volume of both conical parts} = 2 \left[\frac{1}{3} \pi r^2 h \right]$$

∴ Volume of the whole model

$$= \pi r^2 h_1 + \frac{2}{3} \pi r^2 h = \pi r^2 \left[h_1 + \frac{2}{3} h \right]$$

$$= \frac{22}{7} \times \left(\frac{3}{2} \right)^2 \left[8 + \frac{2}{3} (2) \right] = \frac{22}{7} \times \frac{9}{4} \times \left(\frac{24 + 4}{3} \right)$$

$$= \frac{22}{7} \times \frac{9}{4} \times \frac{28}{3} \text{cm}^3 = 66 \text{cm}^3.$$

3. Since, a gulab jamun is like a cylinder with hemispherical ends.

Total height of the gulab jamun = 5 cm.



Diameter = 2.8 cm $\Rightarrow$ Radius (r) = 1.4 cm

∴ Length (height) of the cylindrical part (h)

$$= 5 \text{ cm} - (1.4 + 1.4) \text{ cm} = 5 \text{ cm} - 2.8 \text{ cm} = 2.2 \text{ cm}$$

Now, volume of the cylindrical part = $\pi r^2 h$

and volume of both the hemispherical ends



$$= 2\left(\frac{2}{3}\pi r^3\right) = \frac{4}{3}\pi r^3$$

∴ Volume of a gulab jamun

$$= \pi r^2 h + \frac{4}{3}\pi r^3 = \pi r^2 \left[h + \frac{4}{3}r \right]$$

$$= \frac{22}{7} \times (1.4)^2 \left[2.2 + \frac{4}{3}(1.4) \right]$$

$$= \frac{22}{7} \times \frac{14}{10} \times \frac{14}{10} \left[\frac{22}{10} + \frac{56}{30} \right]$$

$$= \frac{22 \times 2 \times 14}{10 \times 10} \left[\frac{66 + 56}{30} \right] = \frac{44 \times 14}{100} \times \frac{122}{30} \text{ cm}^3$$

Volume of 45 gulab jamuns

$$= 45 \times \left[\frac{44 \times 14}{100} \times \frac{122}{30} \right] = \frac{15 \times 44 \times 14 \times 122}{1000} \text{ cm}^3$$

Since, the quantity of syrup in gulab jamuns

$$= 30\% \text{ of [volume]} = 30\% \text{ of } \left[\frac{15 \times 44 \times 14 \times 122}{1000} \right]$$

$$= \frac{30}{100} \times \frac{15 \times 44 \times 14 \times 122}{1000} = 338.184 \text{ cm}^3$$

= 338 cm³ (approx.)

4. Dimensions of the cuboid are 15 cm, 10 cm and 3.5 cm.

$$\therefore \text{Volume of the cuboid} = 15 \times 10 \times \frac{35}{10} = 525 \text{ cm}^3$$

Since each depression is conical in shape with base radius (r) = 0.5 cm and depth (h) = 1.4 cm.

∴ Volume of each depression

$$= \frac{1}{3}\pi r^2 h = \frac{1}{3} \times \frac{22}{7} \times \left(\frac{5}{10}\right)^2 \times \frac{14}{10} = \frac{11}{30} \text{ cm}^3$$

Since there are 4 depressions.

$$\therefore \text{Total volume of 4 depressions} = 4 \times \frac{11}{30} = \frac{44}{30} \text{ cm}^3$$

Now, volume of the wood in entire stand

$$= [\text{Volume of the wooden cuboid}] - [\text{Volume of 4 depressions}]$$

$$= 525 - \frac{44}{30} = \frac{15750 - 44}{30} = \frac{15706}{30} = 523.53 \text{ cm}^3$$

5. Height of the conical vessel (h) = 8 cm

Base radius (r) = 5 cm

Volume of water in conical vessel

$$= \frac{1}{3}\pi r^2 h = \frac{1}{3} \times \frac{22}{7} \times (5)^2 \times 8 = \frac{4400}{21} \text{ cm}^3$$


Now, total volume of lead shots

$$= \frac{1}{4} \text{ of [Volume of water in the cone]}$$

$$= \frac{1}{4} \times \frac{4400}{21} = \frac{1100}{21} \text{ cm}^3$$

Since, radius of spherical lead shot (r) = 0.5 cm

$$\therefore \text{Volume of 1 lead shot} = \frac{4}{3}\pi r^3$$



$$= \frac{4}{3} \times \frac{22}{7} \times \frac{5}{10} \times \frac{5}{10} \times \frac{5}{10} \text{ cm}^3$$

$$\therefore \text{Number of lead shots} = \frac{\text{Total volume of lead shots}}{\text{Volume of 1 lead shot}}$$

$$= \frac{\left[\frac{1100}{21} \right]}{\left[\frac{4 \times 22 \times 5 \times 5 \times 5}{3 \times 7 \times 1000} \right]} = 100$$

Thus, the required number of lead shots = 100

6. Height of the big cylinder (h)

$$= 220 \text{ cm}$$

$$\text{Base radius } (r) = \frac{24}{2} \text{ cm} = 12 \text{ cm}$$

∴ Volume of the big cylinder

$$= \pi r^2 h = \pi (12)^2 \times 220 \text{ cm}^3$$

Also, height of smaller cylinder (h_1)

$$= 60 \text{ cm}$$

$$\text{Base radius } (r_1) = 8 \text{ cm}$$

$$\therefore \text{Volume of the smaller cylinder} = \pi r_1^2 h_1 = \pi (8)^2 \times 60 \text{ cm}^3$$

$$\therefore \text{Volume of iron pole} = [\text{Volume of big cylinder}] + [\text{Volume of the smaller cylinder}]$$

$$= (\pi \times 220 \times 12^2 + \pi \times 60 \times 8^2) \text{ cm}^3$$


$$= 3.14 [220 \times 12 \times 12 + 60 \times 8 \times 8] \text{ cm}^3$$

$$= \frac{314}{100} [220 \times 144 + 60 \times 64] \text{ cm}^3$$

$$= \frac{314}{100} [31680 + 3840] \text{ cm}^3 = \frac{314}{100} \times 35520 \text{ cm}^3$$

$$\text{Mass of pole} = \frac{8 \times 314 \times 35520}{100} \text{ g} = \frac{89226240}{100} \text{ g}$$

$$= \frac{8922624}{10000} \text{ kg} = 892.2624 \text{ kg} = 892.26 \text{ kg.}$$



7. Height of the conical part (h)

$$= 120 \text{ cm.}$$

Base radius of the conical part (r)

$$= 60 \text{ cm.}$$

∴ Volume of the conical part

$$= \frac{1}{3}\pi r^2 h = \frac{1}{3} \times \frac{22}{7} \times 60^2 \times 120 \text{ cm}^3$$

Radius of the hemispherical part (r) = 60 cm

∴ Volume of the hemispherical part

$$= \frac{2}{3}\pi r^3 = \frac{2}{3} \times \frac{22}{7} \times (60)^3 \text{ cm}^3$$

$$\therefore \text{Volume of the solid} = [\text{Volume of conical part}] + [\text{Volume of hemispherical part}]$$


$$= \left[\frac{1}{3} \times \frac{22}{7} \times 60^2 \times 120 \right] + \left[\frac{2}{3} \times \frac{22}{7} \times 60^3 \right]$$

$$= \frac{2}{3} \times \frac{22}{7} \times 60^2 [60 + 60]$$

$$= \frac{2}{3} \times \frac{22}{7} \times 60 \times 60 \times 120 = \frac{6336000}{7} \text{ cm}^3$$

Radius of cylinder (r_1) = 60 cm

and, Height of cylinder (h_1) = 180 cm



$$\begin{aligned}\text{Volume of the cylinder} &= \pi r_1^2 h_1 \\ &= \frac{22}{7} \times 60^2 \times 180 = \frac{14256000}{7} \text{ cm}^3 \\ \Rightarrow \text{Volume of water in the cylinder} &= \frac{14256000}{7} \text{ cm}^3\end{aligned}$$

$\therefore$ Volume of the water left in the cylinder

$$\begin{aligned}&= \left[\frac{14256000}{7} - \frac{6336000}{7} \right] = \frac{7920000}{7} \\ &= 1131428.571 \text{ cm}^3 = \frac{1131428.571}{1000000} \text{ m}^3 \\ &= 1.131428571 \text{ m}^3 = 1.131 \text{ m}^3 \text{ (approx.)}\end{aligned}$$

8. Volume of the cylindrical part = $\pi r^2 h$

$$\begin{aligned}&= 3.14 \times 1^2 \times 8 = \frac{314}{100} \times 8 \text{ cm}^3 \\ [\because \text{Radius}(r) &= \frac{2}{2} = 1 \text{ cm, height}(h) = 8 \text{ cm}]\end{aligned}$$

$$\text{Radius of spherical part } (r_1) = \frac{8.5}{2} \text{ cm}$$

$$\begin{aligned}\text{Volume of the spherical part} &= \frac{4}{3} \pi r_1^3 \\ &= \frac{4}{3} \times \frac{314}{100} \times \frac{85}{20} \times \frac{85}{20} \times \frac{85}{20} \text{ cm}^3\end{aligned}$$

Total volume of the glass-vessel


$$\begin{aligned}&= \left[\frac{314}{100} \times 8 \right] + \left[\frac{4}{3} \times \frac{314}{100} \times \frac{85 \times 85 \times 85}{8000} \right] \\ &= \frac{314}{100} \left[8 + \frac{4 \times 85 \times 85 \times 85}{24000} \right] = \frac{314}{100} \left[8 + \frac{614125}{6000} \right] \\ &= \frac{314}{100} \left[\frac{48000 + 614125}{6000} \right] = \frac{314}{100} \left[\frac{662125}{6000} \right] \\ &= 346.51 \text{ cm}^3 \text{ (approx.)}\end{aligned}$$

$\Rightarrow$ Volume of water in the vessel = 346.51 cm^3

Since, the child finds the volume as 345 cm^3

$\therefore$ The child's answer is not correct

The correct answer is 346.51 cm^3 .



EXERCISE - 13.3

1. Radius of the sphere (r) = 4.2 cm

$$\begin{aligned}\therefore \text{Volume of the sphere} &= \frac{4}{3} \pi r^3 \\ &= \frac{4}{3} \times \frac{22}{7} \times \frac{42}{10} \times \frac{42}{10} \times \frac{42}{10} \text{ cm}^3\end{aligned}$$

Radius of the cylinder (r_1) = 6 cm

Let h be the height of the cylinder.

$$\therefore \text{Volume of the cylinder} = \pi r_1^2 h = \frac{22}{7} \times 6 \times 6 \times h \text{ cm}^3$$

Since, volume of the metallic sphere = volume of the cylinder

$$\Rightarrow \frac{4}{3} \times \frac{22}{7} \times \frac{42}{10} \times \frac{42}{10} \times \frac{42}{10} = \frac{22}{7} \times 6 \times 6 \times h$$

$$\Rightarrow h = \frac{4}{3} \times \frac{22}{7} \times \frac{42}{10} \times \frac{42}{10} \times \frac{42}{10} \times \frac{7}{22} \times \frac{1}{6} \times \frac{1}{6}$$

$$= \frac{4 \times 7 \times 7 \times 14}{10 \times 10 \times 10} = \frac{2744}{1000} = 2.744 \text{ cm.}$$

Hence, height of the cylinder = 2.744 cm

2. Radii of the given spheres are:

$r_1 = 6 \text{ cm}$, $r_2 = 8 \text{ cm}$ and $r_3 = 10 \text{ cm}$

$\Rightarrow$ Volume of the given spheres are:

$$V_1 = \frac{4}{3} \pi r_1^3, V_2 = \frac{4}{3} \pi r_2^3 \text{ and } V_3 = \frac{4}{3} \pi r_3^3$$

$\therefore$ Total volume of the given spheres = $V_1 + V_2 + V_3$

$$= \frac{4}{3} \pi r_1^3 + \frac{4}{3} \pi r_2^3 + \frac{4}{3} \pi r_3^3 = \frac{4}{3} \pi [r_1^3 + r_2^3 + r_3^3]$$

$$= \frac{4}{3} \times \frac{22}{7} \times [6^3 + 8^3 + 10^3] = \frac{4}{3} \times \frac{22}{7} \times [216 + 512 + 1000]$$

$$= \frac{4}{3} \times \frac{22}{7} \times 1728 \text{ cm}^3$$

Let the radius of the new big sphere be R .

$\therefore$ Volume of the new sphere

$$= \frac{4}{3} \times \pi \times R^3 = \frac{4}{3} \times \frac{22}{7} \times R^3$$

Since, the two volume must be equal.

$$\therefore \frac{4}{3} \times \frac{22}{7} \times R^3 = \frac{4}{3} \times \frac{22}{7} \times 1728$$

$$\Rightarrow R^3 = 1728 \Rightarrow R = 12 \text{ cm}$$

Thus, the required radius of the resulting sphere = 12 cm.

3. Diameter of the cylindrical well = 7 m

$$\Rightarrow \text{Radius of the cylindrical well } (r) = \frac{7}{2} \text{ m}$$

Depth of the cylindrical well (h) = 20 m

$$\therefore \text{Volume} = \pi r^2 h = \frac{22}{7} \times \frac{7}{2} \times \frac{7}{2} \times 20 = 22 \times 7 \times 5 \text{ m}^3$$

$$\Rightarrow \text{Volume of the earth taken out} = 22 \times 7 \times 5 \text{ m}^3$$

Now this earth is spread out to form a cuboidal platform having length = 22 m and breadth = 14 m.

Let h_1 be the height of the platform.

$$\therefore \text{Volume of the platform} = 22 \times 14 \times h_1$$

$$\therefore 22 \times 14 \times h_1 = 22 \times 7 \times 5$$

$$\Rightarrow h_1 = \frac{22 \times 7 \times 5}{22 \times 14} = \frac{5}{2} = 2.5 \text{ m}$$

Thus, the required height of the platform is 2.5 m.

4. Diameter of cylindrical well = 3 m

$$\Rightarrow \text{Radius of the cylindrical well } (r) = \frac{3}{2} = 1.5 \text{ m}$$

Depth of the well (h) = 14 m

$\therefore$ Volume of the cylindrical well

$$= \pi r^2 h = \frac{22}{7} \times \left(\frac{15}{10} \right)^2 \times 14 = \frac{22 \times 15 \times 15 \times 14}{7 \times 10 \times 10} = 99 \text{ m}^3$$

Let the height of the embankment be H metre.

Internal radius of the embankment (r) = 1.5 m.

External radius of the embankment

$$R = (4 + 1.5) \text{ m} = 5.5 \text{ m.}$$

$\therefore$ Volume of the embankment

$$= \pi R^2 H - \pi r^2 H = \pi H [R^2 - r^2] = \pi H (R + r) (R - r)$$

$$= \frac{22}{7} \times H (5.5 + 1.5) (5.5 - 1.5) = \frac{22}{7} \times H \times 7 \times 4 \text{ m}^3$$

Since, volume of the embankment = volume of the cylindrical well

$$\therefore \frac{22}{7} \times H \times 7 \times 4 = 99 \Rightarrow H = 99 \times \frac{7}{22} \times \frac{1}{7} \times \frac{1}{4}$$

$$\Rightarrow H = \frac{9}{8} = 1.125$$

Thus, the required height of the embankment = 1.125 m.

5. For the right circular cylinder:

Diameter = 12 cm

$$\Rightarrow \text{Radius } (r) = \frac{12}{2} = 6 \text{ cm}$$

and height (h) = 15 cm

$\therefore$ Volume of total ice cream

$$= \pi r^2 h = \frac{22}{7} \times 6 \times 6 \times 15 \text{ cm}^3$$

For conical and hemispherical part of ice-cream:

Diameter = 6 cm

$$\Rightarrow \text{radius } (R) = 3 \text{ cm}$$

Height of conical part (H) = 12 cm

Volume of ice-cream = (Volume of the conical part) + (Volume of the hemispherical part)

$$= \frac{1}{3} \pi R^2 H + \frac{2}{3} \pi R^3 = \frac{1}{3} \pi R^2 [H + 2R]$$

$$= \frac{1}{3} \times \frac{22}{7} \times 3 \times 3 [12 + 2 \times 3] \text{ cm}^3 = \frac{22 \times 3}{7} \times 18 \text{ cm}^3$$

Let number of ice-cream cones required to fill the total ice cream = n .

$$\therefore n \left[\frac{22 \times 3}{7} \times 18 \right] = \frac{22}{7} \times 6 \times 6 \times 15 \Rightarrow n = \frac{6 \times 6 \times 15}{3 \times 18} = 10$$

Thus, the required number of cones is 10.

6. For a circular coin :

Diameter = 1.75 cm

$$\Rightarrow \text{Radius } (r) = \frac{1.75}{2} \text{ cm}$$

$$\text{Thickness } (h) = 2 \text{ mm} = \frac{2}{10} \text{ cm}$$

$$\therefore \text{Volume} = \pi r^2 h = \frac{22}{7} \times \left(\frac{1.75}{2} \right)^2 \times \frac{2}{10} \text{ cm}^3$$

For a cuboid:

Length (l) = 10 cm,

Breadth (b) = 5.5 cm





and height (h) = 3.5 cm

$$\therefore \text{Volume} = l \times b \times h = 10 \times \frac{55}{10} \times \frac{35}{10} \text{ cm}^3$$

$$\text{Number of coins} = \frac{\text{Volume of cuboid}}{\text{Volume of one coin}}$$

$$= \frac{10 \times \frac{55}{10} \times \frac{35}{10}}{\frac{22}{7} \times \left(\frac{1.75}{2} \right)^2 \times \frac{2}{10}} = 400$$

Thus, the required number of coins = 400.



7. For the cylindrical bucket:

Radius (r) = 18 cm and height (h) = 32 cm

$$\text{Volume of cylindrical bucket} = \pi r^2 h = \frac{22}{7} \times (18)^2 \times 32 \text{ cm}^3$$

$$\Rightarrow \text{Volume of the sand} = \left(\frac{22}{7} \times 18 \times 18 \times 32 \right) \text{ cm}^3$$

For the conical heap:

Height (H) = 24 cm and let radius of the base be R .

$\therefore$ Volume of conical heap

$$= \frac{1}{3} \pi R^2 H = \left[\frac{1}{3} \times \frac{22}{7} \times R^2 \times 24 \right] \text{ cm}^3$$

$\therefore$ Volume of the conical heap = Volume of the sand

$$\therefore \frac{1}{3} \times \frac{22}{7} \times R^2 \times 24 = \frac{22}{7} \times 18 \times 18 \times 32$$

$$\Rightarrow R^2 = \frac{18 \times 18 \times 32 \times 3}{24} = 18^2 \times 2^2$$

$$\Rightarrow R = \sqrt{18^2 \times 2^2} = 18 \times 2 \text{ cm} = 36 \text{ cm}$$


Let ' l ' be the slant height of the conical heap of the sand.

$$\therefore l = \sqrt{R^2 + H^2}$$

$$= \sqrt{36^2 + 24^2} = \sqrt{1872} = 12\sqrt{13} \text{ cm}$$

Thus, the required radius = 36 cm

and slant height = $12\sqrt{13}$ cm.



8. Width of the canal = 6 m, Depth of the canal = 1.5 m
Length of the water column in 1 hr = 10 km

$\therefore$ Length of the water column in 30 minutes (i.e., $\frac{1}{2}$ hr)

$$= \frac{10}{2} \text{ km} = 5 \text{ km} = 5000 \text{ m}$$

$\therefore$ Volume of water flows in $\frac{1}{2}$ hr

$$= 6 \times 1.5 \times 5000 \text{ m}^3 = 6 \times \frac{15}{10} \times 5000 \text{ m}^3 = 45000 \text{ m}^3$$

Since, the above amount (volume) of water is spread in

the form of a cuboid of height as 8 cm $\left(= \frac{8}{100} \text{ m} \right)$. Let the

area of the cuboid = a

$$\therefore \text{Volume of the cuboid} = \text{Area} \times \text{Height} = a \times \frac{8}{100} \text{ m}^3$$

$$\text{Thus, } a \times \frac{8}{100} = 45000 \Rightarrow a = \frac{45000 \times 100}{8} = \frac{4500000}{8} \text{ m}^2$$

$$= 562500 \text{ m}^2 = 56.25 \text{ hectares}$$

Thus, the required area = 56.25 hectares.

9. Diameter of the pipe = 20 cm

$$\Rightarrow \text{Radius of the pipe } (r) = \frac{20}{2} \text{ cm} = 10 \text{ cm}$$

Since, the water flows through the pipe at 3 km/hr.

$\therefore$ Length of water column per hour (h) = 3 km

$$= 3 \times 1000 \text{ m} = 3000 \times 100 \text{ cm} = 300000 \text{ cm}$$

$\therefore$ Volume of water flows in 1 hour

$$= \pi r^2 h = \pi \times 10^2 \times 300000 \text{ cm}^3$$

$$= \pi \times 30000000 \text{ cm}^3$$

Now, for the cylindrical tank,

$$\text{Diameter} = 10 \text{ m} \Rightarrow \text{Radius } (R) = \frac{10}{2} \text{ m}$$

$$= 5 \times 100 \text{ cm} = 500 \text{ cm}$$

$$\text{Height } (H) = 2 \text{ m} = 2 \times 100 \text{ cm} = 200 \text{ cm}$$

$$\therefore \text{Volume of the cylindrical tank} = \pi R^2 H$$

$$= \pi \times (500)^2 \times 200 \text{ cm}^3$$

Now, time required to fill the tank

$$= \frac{\text{Volume of the tank}}{\text{Volume of water flows in 1 hour}}$$

$$= \frac{\pi \times 500 \times 500 \times 200}{\pi \times 30000000} \text{ hrs} = \frac{5 \times 5 \times 2}{30} \text{ hrs} = \frac{5}{3} \text{ hrs}$$

$$= \frac{5}{3} \times 60 \text{ minutes} = 100 \text{ minutes.}$$

EXERCISE - 13.4


1. We have, $r_1 = 4/2 = 2 \text{ cm}$,
 $r_2 = 2/2 = 1 \text{ cm}$ and $h = 14 \text{ cm}$

Volume of the glass

$$= \frac{1}{3} \pi h (r_1^2 + r_2^2 + r_1 r_2)$$

$$= \frac{1}{3} \times \frac{22}{7} \times 14 [2^2 + 1^2 + 2 \times 1]$$

$$= \frac{1}{3} \times \frac{22}{7} \times 14 [4 + 1 + 2] = \frac{22}{3} \times 2 \times 7 = \frac{308}{3} = 102 \frac{2}{3} \text{ cm}^3.$$




2. We have, slant height (l) = 4 cm

$$2\pi r_1 = 18 \text{ cm and } 2\pi r_2 = 6 \text{ cm}$$

$$\Rightarrow \pi r_1 = \frac{18}{2} = 9 \text{ cm}$$

$$\text{and } \pi r_2 = \frac{6}{2} = 3 \text{ cm}$$



$\therefore$ Curved surface area of the frustum of the cone

$$= \pi (r_1 + r_2) l = (\pi r_1 + \pi r_2) l = (9 + 3) \times 4$$

$$= 12 \times 4 \text{ cm}^2 = 48 \text{ cm}^2.$$

3. Here, the radius of the open side (r_1) = 10 cm

The radius of the upper base (r_2) = 4 cm

Slant height (l) = 15 cm

$\therefore$ Area of the material required

= Curved surface area of the frustum

+ Area of the top end

$$= \pi (r_1 + r_2) l + \pi r_2^2$$

$$= \frac{22}{7} \times (10 + 4) \times 15 + \frac{22}{7} \times 4 \times 4 \text{ cm}^2$$

$$= \frac{22}{7} \times 14 \times 15 + \frac{22}{7} \times 16 = 660 + \frac{352}{7}$$

$$= \frac{4620 + 352}{7} = \frac{4972}{7} = 710 \frac{2}{7} \text{ cm}^2.$$

4. We have, $r_1 = 20 \text{ cm}$, $r_2 = 8 \text{ cm}$ and $h = 16 \text{ cm}$

$$\therefore \text{Volume of the frustum} = \frac{1}{3} \pi h [r_1^2 + r_2^2 + r_1 r_2]$$

$$= \frac{1}{3} \times \frac{314}{100} \times 16 [20^2 + 8^2 + 20 \times 8]$$

$$= \frac{1}{3} \times \frac{314}{100} \times 16 [400 + 64 + 160]$$

$$= \frac{1}{3} \times \frac{314}{100} \times 16 \times 624$$

$$= \left[\frac{314}{100} \times 16 \times 208 \right] \text{ cm}^3$$

$$= \left[\frac{314}{100} \times 16 \times 208 \right] \div 1000 \text{ litres} = \frac{314 \times 16 \times 208}{100000} \text{ litres}$$

$$\therefore \text{Cost of milk} = ₹ \left(20 \times \frac{314 \times 16 \times 208}{100000} \right)$$

$$= ₹ 208.998 \approx ₹ 209$$

Now, slant height of the given frustum

$$l = \sqrt{h^2 + (r_1 - r_2)^2} = \sqrt{16^2 + (20 - 8)^2} = \sqrt{16^2 + 12^2}$$

$$= \sqrt{256 + 144} = \sqrt{400} = 20 \text{ cm}$$

$$\therefore \text{Curved surface area} = \pi (r_1 + r_2) l$$

$$= \frac{314}{100} (20 + 8) \times 20 = \frac{314}{100} \times 28 \times 20 = 1758.4 \text{ cm}^2$$

$$\text{Area of the bottom} = \pi r^2 = \frac{314}{100} \times 8 \times 8 = 200.96 \text{ cm}^2$$


$\therefore$ Total area of metal required

$$= 1758.4 + 200.96 = 1959.36 \text{ cm}^2$$

Cost of metal sheet required

$$= \left(₹ \frac{8}{100} \times 1959.36 \right) = ₹ 156.75.$$

5. Let us consider the frustum $DECB$ of the metallic cone ABC



Here, $r_1 = BO$ and $r_2 = DO'$

$$\text{In } \triangle AOB, \frac{r_1}{(h_1 + h_2)} = \tan 30^\circ = \frac{1}{\sqrt{3}}$$

$$\Rightarrow r_1 = (h_1 + h_2) \times \frac{1}{\sqrt{3}} = 20 \times \frac{1}{\sqrt{3}} = \frac{20}{\sqrt{3}} \text{ cm}$$

$$\text{In } \triangle ADO', \frac{r_2}{h_1} = \tan 30^\circ$$

$$\Rightarrow r_2 = h_1 \times \frac{1}{\sqrt{3}} = 10 \times \frac{1}{\sqrt{3}} = \frac{10}{\sqrt{3}} \text{ cm}$$

Now, the volume of the frustum $DBCE$

$$= \frac{1}{3} \pi h_2 [r_1^2 + r_2^2 + r_1 r_2]$$

$$= \frac{1}{3} \times \pi \times 10 \left[\left(\frac{20}{\sqrt{3}} \right)^2 + \left(\frac{10}{\sqrt{3}} \right)^2 + \frac{20}{\sqrt{3}} \times \frac{10}{\sqrt{3}} \right]$$

$$= \frac{\pi}{3} \times 10 \left[\frac{400}{3} + \frac{100}{3} + \frac{200}{3} \right] = \frac{\pi}{3} \times 10 \left[\frac{700}{3} \right] \text{ cm}^3$$

Let l be the length and D be diameter of the wire drawn from the frustum. Since, the wire is in the form of a cylinder.

$$\therefore \text{Volume of the wire} = \pi r^2 h = \pi \left(\frac{D}{2}\right)^2 \times h$$

$$= \frac{\pi D^2 h}{4} = \frac{\pi h}{4 \times 16 \times 16} \quad \left[\because D = \frac{1}{16}\right]$$

$\therefore$ Volume of the frustum = Volume of the wire

$$\therefore \frac{\pi}{3} \times 10 \times \frac{700}{3} = \frac{\pi h}{4 \times 16 \times 16}$$

$$\Rightarrow h = \frac{10 \times 700}{3 \times 3} \times 4 \times 16 \times 16 = \frac{7168000}{9 \times 100} \text{ m} = 7964.44 \text{ m}$$

Thus, the required length of the wire = 7964.44 m

EXERCISE - 13.5

- Since, diameter of the cylinder = 10 cm
 $\therefore$ Radius of the cylinder (r) = $10/2$ cm = 5 cm
 $\Rightarrow$ Length of wire in one round = $2\pi r$
 $= 2 \times 3.14 \times 5$ cm = 31.4 cm
 $\therefore$ Diameter of wire = 3 mm = $3/10$ cm
 $\therefore$ The thickness of cylinder covered in one round = $3/10$ cm
 $\Rightarrow$ Number of rounds (turns) of the wire to cover
 12 cm = $\frac{12}{3/10} = 12 \times \frac{10}{3} = 40$
 $\therefore$ Length of wire required to cover the whole surface
 $=$ Length of wire required to complete 40 rounds
 $l = 40 \times 31.4$ cm = 1256 cm

Now, radius of the wire = $\frac{3}{2}$ mm = $\frac{3}{20}$ cm

$$\therefore \text{Volume of wire} = \pi r^2 l = 3.14 \times \frac{3}{20} \times \frac{3}{20} \times 1256 \text{ cm}^3$$

$$\therefore \text{Density of wire} = 8.88 \text{ g/cm}^3$$

$$\therefore \text{Weight of the wire} = [\text{Volume of the wire}] \times \text{density}$$

$$= \left[3.14 \times \frac{3}{20} \times \frac{3}{20} \times 1256 \right] \times 8.88 \text{ g}$$

$$= 3.14 \times \frac{3}{20} \times \frac{3}{20} \times 1256 \times \frac{888}{100} \text{ g}$$

$$= 787.97 \text{ g} = 788 \text{ g (approx.)}$$

- Let us consider the right $\triangle BAC$, right angled at A such that $AB = 3$ cm and $AC = 4$ cm.

$$\therefore \text{Hypotenuse } BC = \sqrt{3^2 + 4^2} = 5 \text{ cm}$$

Obviously, we have obtained two cones on the same base AA' such that radius = DA or DA'

$$\text{Now, } \frac{AD}{CA} = \frac{AB}{CB} \quad [\because \triangle ADB \sim \triangle CAB]$$

$$\Rightarrow \frac{AD}{4} = \frac{3}{5} \Rightarrow AD = \frac{3}{5} \times 4 = \frac{12}{5} \text{ cm}$$

$$\text{Also, } \frac{DB}{AB} = \frac{AB}{CB} \Rightarrow \frac{DB}{3} = \frac{3}{5}$$

$$\Rightarrow DB = \frac{3 \times 3}{5} = \frac{9}{5} \text{ cm}$$

$$\text{Since, } CD = BC - DB$$

$$\Rightarrow CD = 5 - \frac{9}{5} = \frac{16}{5} \text{ cm}$$

Now, volume of the double cone

$$= \frac{1}{3} \pi \times \left(\frac{12}{5}\right)^2 \times \frac{9}{5} + \frac{1}{3} \pi \times \left(\frac{12}{5}\right)^2 \times \frac{16}{5}$$

$$= \frac{1}{3} \pi \times \left(\frac{12}{5}\right)^2 \left[\frac{9}{5} + \frac{16}{5}\right] = \frac{1}{3} \times \frac{314}{100} \times \frac{144}{25} \times 5 = 30.14 \text{ cm}^3$$

Surface area of the double cone = $\pi r l_1 + \pi r l_2$

$$= \left(\pi \times \frac{12}{5} \times 3\right) + \left(\pi \times \frac{12}{5} \times 4\right) = \pi \times \frac{12}{5} [3 + 4]$$

$$= \frac{314}{100} \times \frac{12}{5} \times 7 = 52.75 \text{ cm}^2$$

- $\therefore$ Dimensions of the cistern are 150 cm, 120 cm and 110 cm.

$$\therefore \text{Volume of the cistern} = 150 \times 120 \times 110$$

$$= 1980000 \text{ cm}^3$$

$$\text{Volume of water contained in the cistern} = 129600 \text{ cm}^3$$

$$\therefore \text{Free space (volume) which is not filled with water} = 1980000 - 129600 = 1850400 \text{ cm}^3$$

$$\text{Now, volume of one brick} = 22.5 \times 7.5 \times 6.5 = 1096.875 \text{ cm}^3$$

$$\therefore \text{Volume of water absorbed by one brick}$$

$$= \frac{1}{17} \times 1096.875 \text{ cm}^3$$

Let n bricks can be put in the cistern.

$$\therefore \text{Volume of water absorbed by } n \text{ bricks}$$

$$= \frac{n}{17} \times 1096.875 \text{ cm}^3$$

$$\therefore \text{Volume occupied by } n \text{ bricks} = \text{Free space in the cistern} + \text{Volume of water absorbed by } n\text{-bricks}$$

$$\Rightarrow n \times (1096.875) = 1850400 + \frac{n}{17} (1096.875)$$

$$\Rightarrow 1096.875 n - \frac{n}{17} (1096.875) = 1850400$$

$$\Rightarrow \left(n - \frac{n}{17}\right) \times 1096.875 = 1850400$$

$$\Rightarrow \frac{16}{17} n = \frac{1850400}{1096.875} \Rightarrow n = \frac{1850400}{1096.875} \times \frac{17}{16}$$

$$\Rightarrow n = 1792.4102 \approx 1792$$

Thus, 1792 bricks can be put in the cistern.

- Volume of three rivers


$$= 3 \{(\text{Surface area of a river}) \times \text{Depth}\}$$

$$= 3 \left\{ \left(1072 \text{ km} \times \frac{75}{1000} \text{ km} \right) \times \frac{3}{1000} \text{ km} \right\}$$

$$= 3 \left\{ \frac{241200}{1000000} \text{ km}^3 \right\} = 0.7236 \text{ km}^3$$

Volume of rainfall

$$= (\text{Surface area of valley}) \times (\text{Height of rainfall})$$



$$= 97280 \times \frac{10}{100 \times 1000} \left[\because 10 \text{ cm} = \frac{10}{100 \times 1000} \text{ km} \right]$$

$$= \frac{9728}{1000} \text{ km}^3 = 9.728 \text{ km}^3$$

Thus, amount of rainfall in 1 fortnight i.e., 14 days is 9.728 km^3 .

$\therefore$ Amount of rainfall in 1 day = $9.728/14 = 0.6949 \text{ km}^3$

Since, $0.6949 \text{ km}^3 \approx 0.7236 \text{ km}^3$

$\therefore$ The additional water in the three rivers is equivalent to the total rainfall.

5. For the cylindrical part, we have

Diameter = 8 cm $\Rightarrow$ Radius (r) = 4 cm

Height (h) = 10 cm

Curved surface area = $2\pi rh$

$$= 2 \times \frac{22}{7} \times 4 \times 10 = \frac{22}{7} \times 80 \text{ cm}^2$$

For the frustum: $r_2 = \frac{18}{2} = 9 \text{ cm}$, $r_1 = \frac{8}{2} = 4 \text{ cm}$

Height (H) = $22 - 10 = 12 \text{ cm}$

$\therefore$ Slant height (l) = $\sqrt{H^2 + (r_2 - r_1)^2}$

$$= \sqrt{12^2 + (9 - 4)^2} = \sqrt{144 + 5^2} = \sqrt{144 + 25} = \sqrt{169} = 13 \text{ cm}$$

$$\therefore \text{Curved surface area} = \pi(r_2 + r_1)l$$


$$= \frac{22}{7} \times (9 + 4) \times 13 = \frac{22}{7} \times 169 \text{ cm}^2$$

Area of tin required = [Curved surface area of the frustum] + [Curved surface area of cylindrical portion]

$$= \frac{22}{7} \times 169 + \frac{22}{7} \times 80 = \frac{22}{7} (169 + 80)$$

$$= \frac{22}{7} (249) = \frac{5478}{7} = 782 \frac{4}{7} \text{ cm}^2$$

6.



We have, curved surface area of the frustum PQSR

$$= \left[\begin{array}{c} \text{curved surface area} \\ \text{of the right circular} \\ \text{cone } OPQ \end{array} \right] - \left[\begin{array}{c} \text{curved surface area} \\ \text{of the right circular} \\ \text{cone } ORS \end{array} \right]$$

$$= \pi r_1 l_1 - \pi r_2 l_2 \quad \dots(i)$$

Now, $\triangle OC_1Q \sim \triangle OC_2S$ [By AA similarity Criterion]

$$\therefore \frac{OQ}{OS} = \frac{QC_1}{SC_2} = \frac{OC_1}{OC_2}$$

$$\Rightarrow \frac{l_1}{l_2} = \frac{r_1}{r_2} = \frac{h_1}{h_2} \Rightarrow l_1 = \left(\frac{r_1}{r_2} \right) l_2 \text{ and } \frac{l_1 + l_2}{l_2} = \frac{r_1}{r_2}$$

$$(\because l_1 = l + l_2)$$

$$\Rightarrow \frac{l}{l_2} + 1 = \frac{r_1}{r_2} \Rightarrow \frac{l}{l_2} = \frac{r_1}{r_2} - 1 \therefore l = \left(\frac{r_1 - r_2}{r_2} \right) l_2 \quad \dots(ii)$$

Now, from (i), we get

Curved surface area of the frustum

$$= \pi r_1 \left(\frac{r_1}{r_2} l_2 \right) - \pi r_2 l_2 = \pi l_2 \left[\frac{r_1^2}{r_2} - r_2 \right] = \pi l_2 \left(\frac{r_1^2 - r_2^2}{r_2} \right)$$

$$= \pi l_2 \left[\frac{(r_1 + r_2)(r_1 - r_2)}{r_2} \right] = \pi \left(\frac{r_1 - r_2}{r_2} \right) l_2 \times (r_1 + r_2)$$

$$= \pi l (r_1 + r_2) \quad [\text{From (ii)}]$$

Now, the total surface area of the frustum


= (curved surface area) + (base surface area)

+ (top surface area)

$$= \pi l (r_1 + r_2) + \pi r_2^2 + \pi r_1^2 = \pi (r_1 + r_2) l + \pi (r_1^2 + r_2^2)$$

$$= \pi [(r_1 + r_2) l + r_1^2 + r_2^2]$$

7.



We have, volume of the frustum RPQS

= [volume of right circular cone OPQ] - [volume of right circular cone ORS]

$$= \frac{1}{3} \pi r_1^2 h_1 - \frac{1}{3} \pi r_2^2 h_2 = \frac{1}{3} \pi [r_1^2 h_1 - r_2^2 h_2] \quad \dots(i)$$

Since, $\triangle OC_1Q \sim \triangle OC_2S$ [By AA similarity Criterion]

$$\therefore \frac{OQ}{OS} = \frac{QC_1}{SC_2} = \frac{OC_1}{OC_2}$$

$$\Rightarrow \frac{l_1}{l_2} = \frac{r_1}{r_2} = \frac{h_1}{h_2} \Rightarrow h_1 = \left(\frac{r_1}{r_2} \times h_2 \right) \quad \dots(ii)$$

$$\Rightarrow \frac{r_1}{r_2} = \frac{h_1 + h_2}{h_2} \Rightarrow \frac{r_1}{r_2} = \frac{h}{h_2} + 1$$

$$\Rightarrow \frac{h}{h_2} = \frac{r_1}{r_2} - 1 \Rightarrow h = \left[\frac{r_1}{r_2} - 1 \right] \times h_2$$

$$\Rightarrow h = (r_1 - r_2) \frac{h_2}{r_2} \quad \dots(iii)$$

From (i) and (ii), we have

Volume of the frustum RPQS

$$= \frac{1}{3} \pi \left[r_1^2 \times \frac{r_1}{r_2} h_2 - r_2^2 h_2 \right]$$

$$= \frac{1}{3} \pi \left[\frac{r_1^3}{r_2} - r_2^2 \right] h_2 = \frac{1}{3} \pi [r_1^3 - r_2^3] \frac{h_2}{r_2}$$

$$= \frac{1}{3} \pi (r_1^2 + r_2^2 + r_1 r_2) \left[(r_1 - r_2) \frac{h_2}{r_2} \right]$$

$$= \frac{1}{3} \pi (r_1^2 + r_2^2 + r_1 r_2) h$$

[From (iii)]

