Probability

📣 **TRY** YOURSELF

SOLUTIONS

- Total books in library = 3000 + 4000 = 7000 1.
- P(selecting a fiction book)

$$\frac{\text{Number of fiction books}}{\text{Total number of books}} = \frac{3000}{7000} = \frac{3}{7}$$

- 2. Total number of cards = 48
- Numbers divisible by 4 are 4, 8, 12,, 48 (i)
- Number of favourable outcomes = 12 \Rightarrow
- $P(\text{number divisible by 4}) = \frac{12}{48} = \frac{1}{4}$ *.*..
- Perfect square numbers are 4, 9, 16, 25, 36 and 49. (ii)
- Number of favourable outcomes = 6 \Rightarrow
- $P(\text{number is perfect square}) = \frac{6}{48} = \frac{1}{8}$ *.*..
- 3. Total number of possible outcomes = 12
- Number of favourable outcomes = 3(i)
- $P(\text{selecting an extremely patient person}) = \frac{3}{12} = \frac{1}{4}$
- Number of persons who are extremely honest is 6. (ii)
- Number of persons who are extremely kind *.*... = 12 - (6 + 3) = 3
- Number of favourable outcomes = 6 + 3 = 9 \Rightarrow
- *P*(selecting an extremely kind or honest person) *.*...
 - $=\frac{9}{12}=\frac{3}{4}$

Here, total number of possible outcomes = 100 4. Cube numbers from 1 to 100 are 1, 8, 27, 64.

- Number of favourable outcomes = 4 \Rightarrow
- $P(\text{getting a cube number}) = \frac{4}{100} = \frac{1}{25}$ *.*..

5. Total number of possible outcomes = 52 There is only 1 card of '6 of spade'.

- Number of favourable outcome = 1 \Rightarrow
- *P*(getting '6 of spade')

 $\frac{\text{Number of favourable outcomes}}{\text{Total number of possible outcomes}} = \frac{1}{52}$

- There are no black diamond cards in playing cards. 6.
- Number of favourable outcomes = 0 \Rightarrow
- $P(\text{getting a black diamond card}) = \frac{0}{50} = 0$ *.*..
- 7. Possible outcomes of the experiment are $\{(1, 1),$ (1, 2), (1, 3), (1, 4), (1, 5), (1, 6), (2, 1), (2, 2), (2, 3), (2, 4),(2, 5), (2, 6), (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (3, 6), (4, 1),(4, 2), (4, 3), (4, 4), (4, 5), (4, 6), (5, 1), (5, 2), (5, 3), (5, 4), (5, 5), (5, 6), (6, 1), (6, 2), (6, 3), (6, 4), (6, 5), (6, 6)

Total number of outcomes = 36 \rightarrow

Outcomes favourable to the event "no prime on both the dice" are {(1, 1), (1, 4), (1, 6), (4, 1), (4, 4), (4, 6), (6, 1), (6, 4), (6, 6).

- Number of favourable outcomes = 9 \Rightarrow
- $P(\text{getting no prime on both dice}) = \frac{9}{36} = \frac{1}{4}$ *.*...
- 8. There are 52 well shuffled cards.
- Total number of possible outcomes = 52 \Rightarrow Also, there are 13 diamond cards.
- Number of favourable outcomes = 13 \rightarrow
- $P(\text{getting diamond card}) = \frac{13}{52} = \frac{1}{4}$ *.*...
- 9. Possible outcomes are {HH, HT, TH, TT}.
- \Rightarrow Total number of outcomes = 4
- Favourable outcomes are {HT, TH}
- Number of favourable outcomes = 2 \Rightarrow
- Required probability = $\frac{2}{4} = \frac{1}{2}$ *:*..

10. When King, Queen, Jack of clubs and diamonds are removed, then total number of outcomes = 52 - 6 = 46

- Number of favourable outcomes = 13 + 10 = 23(i)
- $P(\text{getting a red card}) = \frac{23}{46} = \frac{1}{2}$
- (ii) Number of favourable outcomes = 6
- $P(\text{getting a face card}) = \frac{6}{46} = \frac{3}{23}$ *.*...
- (iii) Number of favourable outcomes = 13
- $P(\text{getting a spade card}) = \frac{13}{46}$ *.*..
- Number of favourable outcomes = 2(iv)
- $P(\text{getting a black ace}) = \frac{2}{46} = \frac{1}{23}$ *.*..
- Total number of cards = 100 + 200 + 50 = 35011.
- Number of favourable outcomes = 50(i)
- $P(\text{getting a blue card}) = \frac{50}{350} = \frac{1}{7}$ *.*..
- Number of favourable outcomes = 350 200 = 150(ii)
- $P(\text{getting not a yellow card}) = \frac{150}{350} = \frac{3}{7}$ *.*...
- Number of favourable outcomes = 100(iii)
- *P*(getting neither yellow nor a blue card) = *P*(getting *.*...

a red card) =
$$\frac{100}{350} = \frac{2}{7}$$

Probability



SOLUTIONS

- (b) : Let *E* be the event that 'it will rain today'. 1. Given, P(E) = 0.07
- $[:: P(E) + P(\overline{E}) = 1]$ *.*.. P (not E) = 1 – P(E)= 1 - 0.07 = 0.93
- 2. (c) : Numbers on a die are 1, 2, 3, 4, 5 and 6.
- *.*.. Total number of possible outcomes = 6
- Smallest odd prime number = 3
- Number of favourable outcome = 1*.*.. P(getting smallest odd prime) = 1/6*.*..
- (c) : Total number of fruits in the basket = 10
- 3.
- Total number of possible outcomes = 10 *.*.. Number of fruits not rotten = 10 - 3 = 7
- Number of favourable outcomes = 7 *.*..
- Required probability = 7/10*.*...
- (a) : Let *E* be the event of hitting the boundary. 4.

$$\therefore \qquad P(E) = \frac{8}{40} = \frac{1}{5}$$

$$\Rightarrow P(\text{not } E) = 1 - P(E) = 1 - \frac{1}{5} = \frac{5 - 1}{5} = \frac{4}{5}$$

- 5. (b) : The total number of letters in the given word is 10.
- *.*.. Total number of possible outcomes = 10
- The number of consonants in the given word = 7
- *.*.. Number of favourable outcomes = 7
- Required probability = 7/10*.*...
- 6. (b) : Number of letters in the word FOUNDATION is 10.
- Total number of possible outcomes = 10. *.*...

Repeated letters are O and N.

- Number of favourable outcomes = 2*.*...
- Required probability = $\frac{2}{10} = \frac{1}{5}$ *.*..
- 7. (a) : Possible outcomes are 1, 2, 3, 4, 5 and 6. Total number of possible outcomes = 6*.*...
- The factors of 36 are 1, 2, 3, 4, 6, 9, 12, 18 and 36. Here, we see that 5 is not a factor of 36.
- *.*.. Number of favourable outcome = 1
- *.*.. Required probability = 1/6
- 8. In a deck of 52 cards, there are 13 cards of heart and 1 of them is ace of heart.

Hence, the number of outcomes favourable to *E* is 51.

9. Numbers on a die are 1, 2, 3, 4, 5 and 6.

Total number of outcomes = 6*.*..

- Odd number less than 3 is 1 only.
- Number of favourable outcome = 1*.*...
- Required probability = 1/6. *.*..

10. Possible outcomes are {HH, HT, TH, TT}, *i.e.*, 4 in number.

 $P(\text{two heads}) = \frac{1}{4}$, $P(\text{one head}) = \frac{2}{4}$

Ratio of the probability of two heads to one head

 $=\frac{1}{4}:\frac{2}{4}=1:2$: k=2

11. In a deck of 52 cards, there are 12 face cards *i.e.*, 6 red and 6 black cards.

- So, probability of getting a red face card = 6/52 = 3/26
- **12.** Total number of cards from 2 to 51 in a box are 51 1 = 50.

... Total number of possible outcomes = 50

Out of 50 possible outcomes, 25 outcomes i.e., 2, 4, 6, 8, 10,, 50 are even numbers.

- Number of favourable outcomes = 25*.*...
- *.*... *P*(number on the drawn card is an even number) 25 1

$$=\overline{50}=\overline{2}$$

13. Let *E* be the event sure to occur.

$$\therefore \quad P(E) = 1$$

- $P(\text{non-occurrence of } E) = P(\overline{E}) = 1 P(E) = 1 1 = 0$ *.*...
- **14.** Given, *P*(*A* winning a game) = 0.7
- P(A losing the game) = 1 P(A winning a game)*.*... = 1 - 0.7 = 0.3

15. Total number of possible outcomes = 9

Numbers favourable to |x| < 2 are -1, 0 and 1 *i.e.*, 3 in number.

$$\therefore$$
 Required probability $=\frac{3}{9}=\frac{1}{2}$

16. Total number of puppets in claw crane = 58 + 42 + 36 + 64 = 200

(i) (b):
$$P(\text{picking a tiger}) = \frac{36}{200} = \frac{9}{50}$$

(ii) (a) :
$$P(\text{picking a monkey}) = \frac{64}{200} = \frac{8}{25}$$

(iii) (c) :
$$P(\text{picking a teddy bear}) = \frac{58}{200} = \frac{29}{100}$$

(iv) (d) : *P*(not picking a monkey)

$$=1-\frac{8}{25}=\frac{17}{25}$$

= 1 - P(picking a monkey)

MtG 100 PERCENT Mathematics Class-10

(v) (d):
$$P(\text{picking a pokemon}) = \frac{42}{200} = \frac{21}{100}$$

P(not picking a pokemon)

> = 1 – *P*(picking a pokemon) $=1-\frac{21}{100}=\frac{79}{100}$

- 17. Total time = $3 \text{ mins} = 3 \times 60 \text{ secs} = 180 \text{ secs}$
- (a) : Required probability $=\frac{30}{180}=\frac{1}{6}$ (i) (ii) (a) : Required probability $=\frac{45}{180}=\frac{1}{4}$ (iii) (d): $P(\text{music will stop within 2 mins}) = \frac{120}{180} = \frac{2}{3}$ $P(\text{music will stop after 2 mins}) = 1 - \frac{2}{3} = \frac{1}{3}$...
- (iv) (b): Required probability = 1 P(music will stop within first 60 secs)
- $=1-\frac{60}{180}=1-\frac{1}{3}=\frac{2}{3}$
- (v) (b): Required probability $=\frac{82}{180}=\frac{41}{90}$
- **18.** Total number of blocks in the kit = 120 Number of red blocks = 40Number of blue blocks = 25Number of green blocks = 30
- Number of yellow blocks = 120 (40 + 25 + 30)*:*.. = 120 - 95 = 25

(i) (d): $P(\text{block is red}) = \frac{40}{120} = \frac{1}{3}$

(ii) (c) : *P*(block is not yellow) = 1 – *P*(block is yellow) 5 19 25

$$=1-\frac{23}{120}=1-\frac{3}{24}=\frac{13}{24}$$

- (iii) (c) : $P(\text{block is green}) = \frac{30}{120} = \frac{1}{4}$
- (iv) (b): $P(\text{block is yellow}) = \frac{5}{24}$
- (v) (b): *P*(block is not blue) = 1 *P*(block is blue)

 $=1-\frac{25}{120}=1-\frac{5}{24}=\frac{19}{24}$

- **19.** Total number of possible outcome, n(S) = 200
- (i) (c): Let A be the event that number on selected card is divisible by 10.
- *.*.. 140, 150, 160, 170, 180, 190, 200}

 \Rightarrow n(A) = 20

:.
$$P(A) = \frac{n(A)}{n(S)} = \frac{20}{200} = \frac{1}{10}$$

(ii) (c): Let B be the event that the number on the selected card is a prime number more than 100 but less than 150.

 $B = \{101, 103, 107, 109, 113, 127, 131, 137, 139, 149\}$ ·. n(B) = 10 \Rightarrow

$$\therefore \quad P(B) = \frac{n(B)}{n(S)} = \frac{10}{200} = \frac{1}{20}$$

(iii) (c): Let C be the event that the number on the selected card is a multiple number of 3.

$$\begin{array}{rl} \therefore & C = \{3, 6, 9, 12, \dots, 192, 195, 198\} \\ \Rightarrow & n(C) = 66 \end{array}$$

$$\therefore \quad P(C) = \frac{n(C)}{n(S)} = \frac{66}{200} = \frac{33}{100}$$

(iv) (a): Let D be the event that the number on the selected card is a perfect square.

 $D = \{1, 4, 9, 16, 25, 36, 49, 64, 81, 100, 121, 144, 169, ...\}$.:. 196}

$$\Rightarrow n(D) = 14$$

_

.

$$P(D) = \frac{n(D)}{n(S)} = \frac{14}{200} = \frac{7}{100}$$

(v) (a): Let E be the event that the number on the selected card is a perfect cube.

 $\therefore E = \{1, 8, 27, 64, 125\}$

$$\Rightarrow n(E) = 5$$

:.
$$P(E) = \frac{5}{200} = \frac{1}{40}$$

20. Total number of possible outcomes = 36 Favourable outcomes are (1, 5), (2, 4), (3, 3), (4, 2), (5, 1) and (6, 6).

- *.*... Number of favourable outcomes = 6
- *.*.. *P*(sum of two numbers will be multiple of 6) $=\frac{6}{36}=\frac{1}{6}$
- **21.** Given numbers are 1, 2, 3, ..., 30.
- Total number of possible outcomes = 30

Prime numbers greater than 5 from 1 to 30 are 7, 11, 13, 17, 19, 23, 29.

- Number of favourable outcomes = 7
- P(selecting a prime number greater than 5) = 7/30*.*...
- 22. Total number of envelopes in the box = 1000
- Total number of possible outcomes = 1000 *.*..
- Number of envelopes containing cash prize = 10 + 100 + 200 = 310
- So, number of envelopes containing no cash prize = 1000 - 310 = 690
- Number of favourable outcomes = 690*.*..

$$\therefore \quad \text{Required probability} = \frac{690}{1000} = 0.69$$

23. Let *E* be the event of guessing correct answer.

$$\therefore \quad P(E) = \frac{x}{12}, \ P(\overline{E}) = \frac{2}{3}$$
 [Given]

We know, $P(E) + P(\overline{E}) = 1$

$$\Rightarrow \quad \frac{x}{12} + \frac{2}{3} = 1 \quad \Rightarrow \quad \frac{x}{12} = 1 - \frac{2}{3} = \frac{1}{3} \quad \Rightarrow \quad x = 4$$

24. Total number of cards = 100 - 2 = 98

Let *E* be the event that the selected card bears a perfect square number.

- $E = \{4, 9, 16, 25, 36, 49, 64, 81, 100\}$ · · .
- Number of favourable outcomes = 9*.*..

$$\therefore P(E) = \frac{9}{98}$$

25. For perfect square number, sum of numbers on both the dice should be 1 or 4 or 9.

Total number of outcomes = 36

Favourable outcomes are {(1, 3), (2, 2), (3, 1), (3, 6), (4, 5), (5, 4), (6, 3)

Number of favourable outcomes = 7

Required probability = 7/36 *.*...

26. When a cube is thrown once, all possible outcomes are 2, 3, 5, 7, A, B.

- *.*.. Total number of possible outcomes = 6
- Let E_1 be the event of getting an alphabet. (i)
- Favourable outcomes are A, B. *.*...
- Number of favourable outcomes = 2*.*...

$$\therefore \quad P(E_1) = \frac{2}{6} = \frac{1}{3}$$

- Let E_2 be the event of getting a prime number. (ii)
- Favourable outcomes are 2, 3, 5, 7. *.*...
- Number of favourable outcomes = 4*.*...

$$\therefore \quad P(E_2) = \frac{4}{6} = \frac{2}{3}$$

- (iii) Let E_3 be the event of getting a consonant.
- Favourable outcome is *B*. *.*...
- Number of favourable outcome = 1*.*..
- $P(E_3) = 1/6$ *.*..

27. The number *x* is selected from the numbers 1, 2, 3 and the number y is selected from the numbers 1, 4, 9. Possible outcomes of the experiment are

(1, 1), (1, 4), (1, 9), (2, 1), (2, 4), (2, 9), (3, 1), (3, 4), (3, 9).So, the total number of possible outcomes = $3 \times 3 = 9$ Let *A* be the event of getting xy < 9, then the outcomes favourable to *A* are (1, 1), (1, 4), (2, 1), (2, 4), (3, 1).

Number of favourable outcomes = 5....

$$\therefore \quad P(A) = 5/9$$

28. Area of the square $ABCD = (BC)^2 = 10^2 = 100 \text{ cm}^2$ Side of square PQRS = 5 cm

Now, area of the square $PQRS = (5)^2 = 25 \text{ cm}^2$

- *P*(the point will be chosen from the shaded part) *.*... $= \frac{\text{Area of the square } PQRS}{\text{Area of the square } ABCD} = \frac{25}{100} = 0.25$

- 29. If two unbiased coins are tossed simultaneously, then the possible outcomes are {HH, HT, TH, TT}
- *.*.. Total number of possible outcomes = 4
- No head is obtained if the event {TT} occurs.
- Number of favourable outcome = 1....
- P(getting no head) = 1/4*.*..

But, given P(getting no head) = A/BSo, A = 1 and B = 4

:. $(A + B)^2 = (1 + 4)^2 = (5)^2 = 25$

30. Given numbers are 2, 3, 3, 5, 5, 5, 7, 9, 20 Since the total numbers are 9, i.e., an odd number of observations.

Therefore, median is the value of $\left(\frac{9+1}{2}\right)^{\text{th}}$ observation, *i.e.*, 5^{th} observation = 5

Total number of possible outcomes = 9

Let A denotes the event "the selected number is median". Number of outcomes favourable to the event A are 3.

(:: 5 repeats 3 times)

Hence,
$$P(A) = \frac{3}{9} = \frac{1}{3}$$

31. Total possible outcomes in spinning of an arrow twice = $6 \times 6 = 36$

So, favourable outcomes (a, b) for which $\frac{a}{b} > 1$ are $\{(2, 1), \dots, (2, n)\}$

(3, 1), (3, 2), (4, 1), (4, 2), (4, 3), (5, 1), (5, 2), (5, 3), (5, 4),(6, 1), (6, 2), (6, 3), (6, 4), (6, 5)

Number of favourable outcomes = 15

Required probability = 15/36 = 5/12

32. Total number of cards bearing numbers from 6 to 70 = 70 - 5 = 65

(i) Let E_1 denotes the event that card bears a one digit number. Then, numbers favourable to event E_1 are 6, 7, 8, 9.

Number of favourable outcomes = 4*.*..

.... $P(E_1) = 4/65$

(ii) Let E_2 denotes the event that card bears a number divisible by 5. Then, numbers favourable to event E_2 are 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70.

Number of favourable outcomes = 13 *.*...

$$\therefore P(E_2) = \frac{13}{65} = \frac{1}{5}$$

(iii) Let E_3 denotes the event that card bears an odd number less than 30. Then, numbers favourable to event *E*₃ are 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29.

.... Number of favourable outcomes = 12

:
$$P(E_3) = \frac{12}{65}$$

(iv) Let E_4 denotes the event that card bears a composite number between 50 and 70. Then, numbers favourable to event *E*₄ are 51, 52, 54, 55, 56, 57, 58, 60, 62, 63, 64, 65, 66, 68, 69.

Number of favourable outcomes = 15÷.

:
$$P(E_4) = \frac{15}{65} = \frac{3}{13}$$

MtG 100 PERCENT Mathematics Class-10

OR

Hari throws two dice once.

When a pair of different dice is thrown, then the total number of possible outcomes = $6 \times 6 = 36$

Let *A* denotes the event that the product of two numbers is 36.

 \therefore Favourable outcome is (6, 6) *i.e.*, 1 in number.

 $\therefore \quad P(A) = 1/36$

Suresh throws one die.

So, the number of possible outcomes = 6

Let *B* denotes the event that the square of the number is 36.

 \therefore Favourable outcome is 6 *i.e.*, 1 in number.

 $\therefore \quad P(B) = \frac{1}{6} = \frac{6}{36}$

Since, P(B) > P(A)

 \therefore Suresh has better chance of getting the number 36.

33. (i) Total number of balls = 18 Given, number of red balls = x

- \therefore P(drawing a red ball) = $\frac{x}{18}$
- \therefore *P*(not drawing a red ball) = 1 *P*(drawing a red ball)

 $=1-\frac{x}{18}=\frac{18-x}{18}$

(ii) When 2 more red balls are added, then total number of balls = 18 + 2 = 20 and number of red balls = x + 2

 \therefore P(drawing a red ball) = $\frac{x+2}{20}$

According to question, $\frac{x+2}{20} = \frac{9}{8} \left(\frac{x}{18} \right) \Rightarrow \frac{x+2}{20} = \frac{x}{16}$

- $\Rightarrow 16(x+2) = 20x$
- $\Rightarrow 4x + 8 = 5x \Rightarrow x = 8$

OR

Let *R*, *W* and *G* be the event of getting red, white and green balls respectively. Given, total number of balls = 30 and number of red balls = 15

$$\therefore \quad P(R) = \frac{15}{30} = \frac{1}{2}$$

Given, $P(W) = 2 \times P(G)$... (i) We know, sum of probabilities of elementary events is 1. $\therefore P(R) + P(W) + P(G) = 1$

$$\Rightarrow \frac{1}{2} + 2P(G) + P(G) = 1$$
 [From (i)]

$$\Rightarrow \quad 3P(G) = 1 - \frac{1}{2} = \frac{1}{2} \quad \Rightarrow \quad P(G) = \frac{1}{6}$$

From (i), $P(W) = 2 \times \frac{1}{6} = \frac{1}{3}$

$$\Rightarrow \frac{\text{Number of white balls}}{30} = \frac{1}{3}$$

$$\Rightarrow$$
 Number of white balls = $\frac{1}{2} \times 30 = 10$

Now,
$$P(G) = \frac{1}{2}$$

$$\Rightarrow \frac{\text{Number of green balls}}{30} = \frac{1}{6}$$

$$\Rightarrow$$
 Number of green balls = $\frac{1}{6} \times 30 = 5$

Hence, number of white and green balls are respectively 10 and 5.

3

34. Total number of outcomes = $6 \times 6 = 36$

(i) Favourable outcomes when sum is even are

{(1, 1), (1, 3), (1, 5), (2, 2), (2, 4), (2, 6), (3, 1), (3, 3), (3, 5), (4, 2), (4, 4), (4, 6), (5, 1), (5, 3), (5, 5), (6, 2), (6, 4), (6, 6)} *i.e.*, 18 in number.

$$\therefore P(\text{getting even sum}) = \frac{18}{36} = \frac{1}{2}$$

(ii) Favourable outcomes when product is even are {(1, 2), (1, 4), (1, 6), (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (2, 6), (3, 2), (3, 4), (3, 6), (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (4, 6), (5, 2), (5, 4), (5, 6), (6, 1), (6, 2), (6, 3), (6, 4), (6, 5), (6, 6)} *i.e.*, 27 in number

$$\therefore \quad P(\text{getting even product}) = \frac{27}{36} = \frac{3}{4}$$

MtG BEST SELLING BOOKS FOR CLASS 10

10

NCERT

F⁴NGERTIPS

MATHEMATICS



10





















Visit www.mtg.in for complete information