

Chemical Reactions and Equations

ANSWERS

$$\mathbf{1.} \quad \mathsf{ZnCO}_{3(s)} \longrightarrow \mathsf{ZnO}_{(s)} + \mathsf{CO}_{2(g)}$$

OR

 $\mathsf{AgNO}_{3(aq)} + \mathsf{NaCI}_{(aq)} {\longrightarrow} \mathsf{AgCI}_{(s)} {\downarrow} + \mathsf{NaNO}_{3(aq)}$

2. This is a Photodecomposition reaction.

3. (a):
$$BaCl_{2(aq)} + Na_2SO_{4(aq)} \longrightarrow BaSO_{4(s)} \downarrow + 2NaCl_{(aq)}$$

4. **(b)**: Na₂CO₃ + 2HCl
$$\longrightarrow$$
 2NaCl + CO₂ \uparrow + H₂O

5. (b) : M is oxidized to M_2 O.

6. (b): Dissolution of sugar in water is not a chemical reaction.

OF

(b):
$$FeSO_4 \cdot 7H_2O_{(s)} \xrightarrow{Heat} FeSO_{4(s)} + 7H_2O$$

 $2FeSO_{4(s)} \xrightarrow{Heat} Fe_2O_{3(s)} + SO_{2(g)} + SO_{3(s)}$
Reddish brown

7. **(c)**: It is a double displacement as well as neutralisation reaction in which base (NaOH) is neutralised by acid (HCl) to give salt (NaCl) and water (H_2O) .

8.
$$2\text{Fe} + \frac{3}{2}\text{O}_2 + x\text{H}_2\text{O} \longrightarrow \text{Fe}_2\text{O}_3 \cdot x\text{H}_2\text{O}$$

Hydrated ferric oxide (Rust)

9. **(b)**:
$$CaCO_3 + HCI \longrightarrow CaCl_2 + H_2O + CO_2 \uparrow$$

 $Zn + HCI \longrightarrow ZnCl_2 + H_2 \uparrow$

OR

(b) (A)-q, (B)-p, (C)-t, (D)-s

10. (d): Zinc and aluminium, being more reactive than iron, will displace iron from iron sulphate.

11. (c) : Because nitrogen is an unreactive gas and prevent oxidation.

OR

(a) : PCl₃ is acting as reductant.

12. Double displacement reaction

OR

(i) Displacement reaction

(ii) Combination reaction

13. This is because, the reaction of barium hydroxide and ammonium chloride is endothermic in nature.

14. (b): In displacement reactions, a more reactive element displaces a less reactive element from its compounds.

15. (b): Nitrogen prevents the food items from oxidation.

16. (a): This is according to the law of conservation of mass.

17. (i) (d): $CuSO_4 + H_2S \longrightarrow CuS + H_2SO_4$

Both $CuSO_4$ and H_2S exchange their ions to give new compounds-CuS and H_2SO_4 . Hence, this is a double displacement reaction.

(ii) (b): It is an example of single displacement reaction.

(iii) (d): BaCl₂ + (NH₄)₂SO₄
$$\longrightarrow$$
 BaSO₄ \downarrow + 2NH₄Cl_(ppt.)

It is a precipitation reaction as well as double displacement reaction.

(iv) (a): $AICI_3 + 3NH_4OH \rightarrow AI(OH)_3 + 3NH_4CI$

(v) (b):
$$BaCl_{2(aq)} + Na_2SO_{4(aq)} \rightarrow BaSO_{4(s)} + 2NaCl_{(aq)}$$
(white ppt.)

18. (i) (a)

(ii) (d): Calcium hydroxide is a white colour solid.

(iii) (c): SO₂ is gaseous in nature.

(iv) (d): When copper is heated in the presence of air in a very high temperature, a chemical reaction takes place. Copper reacts with oxygen of the air to form a thin layer of copper oxide on the surface of metallic copper.

(v) (c): On burning of L.P.G., heat is evolved.

19. (i) (c)

(ii) (b): $2Pb(NO_3)_2 \longrightarrow 2PbO + 4NO_2 + O_2$

(iii) (c): Proteins in our diet get broken down into amino acids.

(iv) (a): $2AgCl_{(s)} \xrightarrow{Sunlight} 2Ag_{(s)} + Cl_{2(q)}$

(v) (b): Electrolysis of water is electrolytic decomposition.

$$2H_2O \xrightarrow{Current} 2H_2 + O_2$$

20. (i) (a): Calcium oxide (CaO) is quick lime.

(ii) (c) :
$$Ca(OH)_{2(aq)} + CO_{2(g)} \longrightarrow CaCO_{3(s)} + H_2O$$

(Milky appearance)

(iii) (c): Calcium oxide (quick lime) reacts vigorously with water to produce calcium hydroxide (slaked lime) releasing a large amount of heat. It is a combination reaction.

(v) (b) : Combination of N_2 and O_2 to form NO is an endothermic reaction with absorption of heat.

$$N_{2(q)} + O_{2(q)} \xrightarrow{\text{Heat}} 2NO_{(q)}$$

21. An endothermic reaction occurs when energy is absorbed from the surroundings. Example: photosynthesis, where light energy is absorbed to convert carbon dioxide to glucose. An exothermic reaction occurs when energy is released to the surroundings. Example: burning of fuel.

OR

- (b) (i) The iron nail turns brown.
- (ii) This process is known as Rusting.
- **22.** $2KBr_{(aq)} + Bal_{2(aq)} \longrightarrow 2Kl_{(aq)} + BaBr_{2(aq)}$ This reaction is a double displacement reaction.
- **23.** When white silver chloride is left exposed to sunlight, its colour changes to grey as it decomposes to silver in the presence of sunlight.

$$2\mathsf{AgCl}_{\underset{\mathsf{White}}{(s)}} \xrightarrow{\mathsf{Sunlight}} 2\mathsf{Ag}_{(s)} + \mathsf{Cl}_{2(g)}$$

This type of reaction is called photodecomposition reaction.

OR

- (i) When lead nitrate is added to potassium iodide then yellow precipitate of lead iodide is formed along with potassium nitrate.
- (ii) Balanced chemical reaction is as follows:

$$Pb(NO_3)_{2(aq)} + 2KI_{(aq)} \longrightarrow PbI_{2(s)} \downarrow + 2KNO_{3(aq)}$$
(Yellow ppt.)

- 24. (i) Single displacement reaction
- (ii) Double displacement reaction

25.
$$2 \text{FeSO}_{4(s)} \longrightarrow \text{Fe}_2 \text{O}_{3(s)} + \text{SO}_{2(g)} + \text{SO}_{3(g)}$$
Ferrous sulphate Ferric oxide Sulphur dioxide Sulphur trioxic (Smell of burning sulphur)

It is a thermal decomposition reaction.

- **26.** (i) $CuSO_{4(aq)} + 2NaOH_{(aq)} \longrightarrow Cu(OH)_{2(s)} + Na_2SO_{4(aq)}$
- (ii) This type of reaction is called precipitation reaction in which one of the products formed is an insoluble substance. This is also called double displacement reaction.

27. (i)
$$2HgO_{(s)} \xrightarrow{Heat} 2Hg_{(l)} + O_{2(g)}$$

(ii)
$$2H_2O_{2(I)} \longrightarrow 2H_2O_{(I)} + O_{2(g)}$$

- (i) Reddish brown residue is Fe_2O_3 .
- (ii) Sulphur dioxide (SO₂), sulphur trioxide (SO₃).
- (iii) FeSO₄·7H₂O
- **28.** (a) The conditions of temperature, pressure and the presence of catalyst, if any, may be represented by writing these conditions above and/or below the arrow drawn between the reactants and the products. For example,

$$N_{2(g)} + 3H_{2(g)} \xrightarrow{500^{\circ}\text{C, 200 atm}} 2NH_{3(g)}$$
Nitrogen Hydrogen Ammonia

This shows that to get maximum yield of ammonia (NH₃), the most suitable conditions for the above reaction are a temperature of 500°C, pressure of 200 atmosphere and presence of iron as catalyst.

- (b) Yes, we can store zinc sulphate solution in a copper vessel. Copper is less reactive than zinc, hence copper cannot displace zinc from zinc sulphate solution.
- **29.** (a) An equation in which the number of atoms of one or more elements is not equal on the both sides of the equation is called a skeletal (or unbalanced) equation.

Solution of barium chloride and aluminium sulphate in water react to give insoluble barium sulphate and aluminium chloride solution. The skeletal equation is

$$BaCl_2 + Al_2(SO_4)_3 \longrightarrow BaSO_4 + AlCl_3$$

The balanced equation is

$$3BaCl_2 + Al_2(SO_4)_3 \longrightarrow 3BaSO_4 + 2AlCl_3$$

(b) The refrigeration of food stuffs, slows down the oxidation of food stuffs due to low temperatures. So, we keep food in refrigerator.

It is a double displacement reaction.

(ii)
$$3H_{2(g)} + N_{2(g)} \longrightarrow 2NH_{3(g)}$$

This reaction is a combination reaction.

31. Thermal decomposition reactions : These reactions occur in the presence of heat.

Electrolytic decomposition reactions: These reactions occur in the presence of electric current.

$$2H_2O_{(l)} \xrightarrow{\text{Electric}} 2H_{2(g)} + O_{2(g)}$$

Photodecomposition reactions: These reactions occur in the presence of sunlight.

- **32.** The two necessary conditions for corrosion to take place are :
- (i) Presence of air (or oxygen)
- (ii) Presence of moisture (water vapour)

Both corrosion and rusting are very harmful and cause damage to the buildings, railway tracks, automobiles and other objects/materials where metals are used. We quite often hear that on old building has collapsed of its own causing of loss of both lives and property. This is on account of the rusting of iron which is used in making the structures particularly the roof.

33. To demonstrate thermal decomposition of ferrous sulphate: Take a small amount of ferrous sulphate crystals in a dry test tube. Holding the test tube in a test holder, heat the test tube strongly over a flame of a spirit lamp or a burner.

Observation : The green coloured ferrous sulphate crystals (FeSO₄.7H₂O) on heating first lose water and the colour changes to form anhydrous FeSO₄.

FeSO₄·7H₂O
$$\xrightarrow{\text{Heat}}$$
 FeSO_{4(s)} + 7H₂O_(s)
Ferrous sulphate crystals $\xrightarrow{\text{sulphate}}$

This on further heating gives out a characteristic smell of burning sulphur leaving behind a reddish brown residue of ferric oxide.

Conclusion : This is due to the following decomposition reaction :

34. (i) $\operatorname{BaCl}_{2(aq)} + \operatorname{CuSO}_{4(aq)} \to \operatorname{BaSO}_{4(s)} + \operatorname{CuCl}_{2(aq)}$ It is an example of double displacement and precipitation reaction.

(ii) The surface of copper becomes black due to the formation of black copper oxide.

Since copper is oxidisied to copper oxide, it is an oxidation reaction. This is also an example of combination reaction.

(iii) In this reaction, ferrous sulphate crystals (FeSO $_4$.7H $_2$ O) decompose to form brown solid, ferric oxide (Fe $_2$ O $_3$) and gases SO $_2$ and SO $_3$ are produced.

This is an example of decomposition reaction.

(iv) Iron nails displace copper from copper sulphate solution and as a result solution becomes pale green due to the formation of ferrous sulphate and blue colour of copper sulphate fades. The reddish brown copper particles are deposited on iron surface.

This is an example of displacement reaction.

(v) Quick lime (CaO) reacts with water forming slaked lime, Ca(OH)₂ and releasing a large amount of heat.

$$CaO_{(s)}$$
 + $H_2O_{(l)}$ \longrightarrow $Ca(OH)_{2(aq)}$ + Heat Quick lime (Slaked lime)

This is an example of combination reaction.

OR

- (a) (i) (A) is a combination reaction in which compounds combine while (B) is also combination reaction but here elements combine.
- (ii) (A) is single displacement reaction while (B) is double displacement reaction.
- (iii) (A) is thermal decomposition reaction while (B) is electrolytic decomposition reaction.
- (b) It is decomposition reaction. $2AgCl_{(s)} \xrightarrow{Light} 2Ag_{(s)} + Cl_{2(\alpha)}$
- **35.** (i) The slow oxidation of oils and fats present in food materials resulting in compounds with unpleasant smell is known as rancidity.

Food becomes stale because of rancidity, the stale food develops bad taste and smell.

- (ii) Oxidation is responsible for rancidity.
- (iii) Following measures can be adopted to prevent or slow down rancidity:

- (a) Food materials are often packed in air tight containers. So, oxygen has no access to them and rancidity is prevented. These days, preference is given vacuum packing.
- (b) Refrigeration of food also slows down rancidity because the temperature inside refrigerator is very low and direct contact with air or oxygen is avoided.
- (c) In bags containing potato chips and other similar stuff, the air is quite often replaced by nitrogen. This prevent their oxidation as well as rancidity.
- (d) It is always advisable to place food materials and cooked food in places away from direct sunlight. This will slow down the process of rancidity.
- **36.** (a) The blue colour salt becomes white due to loss of water of crystallization on heating. It regains its blue colour on adding water to it. The salt is copper sulphate and the formula is, $CuSO_4 \cdot 5H_2O$.
- (b) There are a number of redox reactions taking place around us which affect our everyday life, *e.g.*,
- (i) Corrosion of metals
- (ii) Rancidity of food
- (c) Oxidation or reduction cannot take place alone. This is because if one substance loses oxygen, *i.e.*, undergoes reduction, there must be another substance to take up this

oxygen, *i.e.*, undergoes oxidation. Similarly, if one substance loses hydrogen, *i.e.*, undergoes oxidation, there must be another substance to take up this hydrogen, *i.e.*, undergoes reduction. Hence, oxidation and reduction always take place together. That is why, these reactions are called redox reactions.

OR

(a) The substance that oxidises another substance is called an oxidising agent. Thus, an oxidising agent can remove electrons from the other substance and itself gets reduced.

$$Zn_{(s)} + CuSO_{4(aq)} \rightarrow ZnSO_{4(aq)} + Cu_{(s)}$$
Oxidation

Here, $CuSO_4$ oxidises Zn atom to $ZnSO_4$ and itself gets reduced to Cu. So in this reaction, $CuSO_4$ is an oxidising agent and Zn gets oxidised to $ZnSO_4$.

(b) The conditions for the reaction of photosynthesis to take place are the presence of sunlight and chlorophyll. So, we can write a chemical equation for photosynthesis alongwith conditions as follows.

$$\begin{array}{ccc} \mathsf{6CO}_{2(g)} + \mathsf{6H}_2\mathsf{O}_{(I)} & & & \\ \mathsf{Carbon} & \mathsf{Water} & & & \\ \mathsf{dioxide} & & & & \\ \mathsf{Glucose} & & \mathsf{Oxygen} \\ \end{array}$$



MtG BEST SELLING BOOKS FOR CLASS 10







































